




GOVERNMENT OF INDIA MINISTRY OF SKILL DEVELOPMENT & ENTREPRENEURSHIP DIRECTORATE GENERAL OF TRAINING

COMPETENCY BASED CURRICULUM

TURNER

(Duration: Two Years)

CRAFTSMEN TRAINING SCHEME (CTS) NSQF LEVEL- 5



SECTOR – CAPITAL GOODS AND MANUFACTURING









TURNER

(Engineering Trade)

(Revised in 2017)

Version: 1.1

CRAFTSMEN TRAINING SCHEME (CTS)

ACCUPATION OF THE PARTY.

Skiffindia कौशल भारत-कुशल भारत

Developed By

Ministry of Skill Development and Entrepreneurship

Directorate General of Training

CENTRAL STAFF TRAINING AND RESEARCH INSTITUTE

EN-81, Sector-V, Salt Lake City, Kolkata – 700 091



The DGT sincerely acknowledges contributions of the Industries, State Directorates, Trade Experts, Domain Experts and all others who contributed in revising the curriculum. Special acknowledgement is extended by DGT to the following expert members who had contributed immensely in this curriculum.

List of Expert members participated for finalizing the course curriculum of Turner trade held on 12.01.17 at CSTARI, Kolkata

S No.	Name & Designation Shri/Mr./Ms.	Organization	Remarks
1.	DEEPANKAR MALLICK, DDG (Trg.)	DGT, MSDE, New Delhi	Chairman
2.	H. V. SAMVATSAR, Director	CSTARI, Kolkata	Secretary (Trade Committee)
3.	NIRMALYA NATH Asst. Director of Trg.	CSTARI, Kolkata	Member cum Co-coordinator
4.	RAJENDRA PRASAD Director	DTE, Uttar Pradesh	Member
5.	R. N. BANDYOPADHAYA OSD	Paschim Banga Society For Skill Development, Kolkata	Member
6.	SUMANTA MODAK, General Manager (Works)	EVEREADY Industries Pvt. Ltd. (Representative of <i>CII</i>)	Member
7.	S. D. SATISH CHANDRA, Manager (HR), Trg.	HAL – Koraput Division, Koraput, Odisha	Member
8.	SUMANTA CHATTERJEE Addl. General Manager	BHEL, Power Sector ER	Member
9.	P. C. BHANDARI Technical Advisor	J K Cement Ltd. Kanpur	Member
10.	SANJIT BHOWMICK Asst. General Manager	Hindalco Industries Ltd., Belur Math, Howrah	Member
11.	DEBASHIS BHATTACHARYYA, JWM,/FTI	Rifle Factory, Ishapore, Ministry of Defence, Govt. India, WB	Member
12.	SATYABADI SATAPATHY Training Officer	HAL – Koraput Division, Koraput, Odisha	Member
13.	PRABHAT SAMIR PAL Jr. Manager	GRSE Ltd., Kolkata	Member



14.	JOYDEEP PAL MAJUMDER	Rifle Factory, Ishapore, Ministry	Member
	Asst. Work Manager	of Defence, Govt. India, WB	
15.	BHABANI PROSAD MONDAL	Rifle Factory, Ishapore, Ministry	Member
	CM/FTI	of Defence, Govt. India, WB	
16.	SUNIRMAL BASU,	Railway Workshop, Kanchrapara	Member
	Asst. Inspecting Officer		
17.	K. L. KULI	CSTARI, Kolkata	Member
	Joint Director of Trg.		
18.	M. THAMIZHARASAN,	CSTARI, Kolkata	Member
	Joint Director of Trg.		
19.	SANJAY KUMAR	CSTARI, Kolkata	Member
	Joint Director of Trg.		
20.	L. K. MUKHERJEE	CSTARI, Kolkata	Member
	Dy. Director of Trg.		
21.	U. K. MALLICK,	DTE&T, Odisha	Member
	Dy. Director		
22.	N. R. PATTANAIK	Govt. ITI Balasore, Odisha	Member
	Principal		
23.	DEEPAK KUMAR,	Railway Workshop, Kanchrapara	Member
	SSE/Drg./C&W		
24.	D. W. PATNE,	Association of Non Govt. ITI,	Member
	Secretary	Maharastra	_
25.	VIVEK CHAUDHARI	Ujjwal ITI Nashirabad, Dist-	Member
	Principal	Jalgoan, Maharastra	4
26.	Fr. JOSE PADAMATTAM	Don Bosco Technical Institute,	Member
	Principal	Park Circus	-
27.	SWAMI GUNINDRANANDA	R. K. Mission Shilpayatan	Member
	Superintendent	Belurmath, Howrah	
28.	TAPAS SENGUPTA,	ITI Howrah Homes	Member
	Instructor		
29.	DEBIPROSHAD SARKAR,	ITI Howrah Homes	Member
	Instructor		
30.	G. B. KOLAPATE,	Govt. ITI Andhari, Mumbai,	Member
	Instructor	Maharastra	
31.	H. B. KOSHTI,	Govt. ITI Byculla, Mumbai - Me	
	Craft Instructor	400011	
32.	NAGESH BALAKRISHNA NARKAR,	ITI Ambernath, Thane,	Member
	Craft Instructor	Maharastra	



Member
Member
Member
-

SI.	Name & Designation	Organization	Mentor Council
No.	Sh/Mr./Ms.	Organization	Designation
Member	s of Sector Mentor council		
1.	A. D. Shahane, Vice-President,	Larsen &Tourbo Ltd.,	Chairman
	(Corporate Trg.)	Mumbai:400001	
2.	Dr.P.K.Jain, Professor	IIT, Roorkee, Roorkee-247667,	Member
		Uttarakhand	
3.	N. Ramakrishnan, Professor	IIT Gandhinagar, Gujarat-382424	Member
4.	Dr.P.V.Rao, Professor	IIT Delhi, New Delhi-110016	Member
5.	Dr.Debdas Roy, Asstt. Professor	NIFFT, Hatia, Ranchi-834003,	Member
		Jharkhand	
6.	Dr. Anil Kumar Singh, Professor	NIFFT, Hatia, Ranchi-834003,	Member
		Jharkhand	



7.	Dr.P.P.Bandyopadhyay Professor	IIT Kharagpur, Kharagpur-721302, West Bengal	Member
8.	Dr.P.K.Ray, Professor	IIT Kharagpur, Kharagpur-	Member
		721302, West Bengal	
9.	S. S. Maity, MD Central Tool Room & Train		Member
		Centre (CTTC), Bhubaneswar	
10.	Dr. Ramesh Babu N, Professor	IIT Madras, Chennai	Member
11.	R.K. Sridharan, Manager/HRDC	Bharat Heavy Electricals Ltd,	Member
		Ranipet, Tamil Nadu	
12.	N. Krishna Murthy	CQA(Heavy Vehicles), DGQA,	Member
	Principal Scientific Officer	Chennai, Tamil Nadu	
13.	Sunil Khodke, Training Manager	Bobst India Pvt. Ltd., Pune	Member
14.	Ajay Dhuri	TATA Motors, Pune	Member
15.	UdayApte	TATA Motors, Pune	Member
16.	H B Jagadeesh, Sr. Manager	HMT, Bengaluru	Member
17.	K Venugopal, Director & COO	NTTF, Peenya, Bengaluru	Member
18.	B.A.Damahe, Principal	L&T Institute of Technology,	Member
	L&T Institute of Technology	Mumbai	
19.	Lakshmanan. R, Senior Manager	BOSCH Ltd., Bengaluru	Member
20.	R C Agnihotri	Indo- Swiss Training Centre	Member
	Principal	Chandigarh, 160030	
21.	M. K. Verma, Sr. Manager Trg.	, Sr. Manager Trg. SNTI, TATA Steel Ltd.,	
	Capability Development	Jamshedpur	
22.	N.K Thakur, DGM-Trg.	L&T, Construction and Mining	Member
		Machinery, Kanchipuram.	
23.	Vijayan K T,	Volkswagen Academy, Pune	Member
Mentor			
24.	Sunil Kumar Gupta (Director)	DGET HQ, New Delhi.	Mentor
Member	rs of Core Group		
25.	N. Nath. (ADT)	CSTARI, Kolkata	Co-ordinator
26.	H.Charles (TO)	NIMI, Chennai.	Member
27.	Sukhdev Singh (JDT)	ATI Kanpur	Team Leader
28.	Ravi Pandey (V.I)	ATI Kanpur	Member
29.	A.K. Nasakar (T.O)	ATI Kolkata	Member
30.	Samir Sarkar (T.O)	ATI Kolkata	Member
31.	J. Ram EswaraRao (T.O)	RDAT Hyderabad	Member
32.	T.G. Kadam (T.O)	ATI Mumbai	Member
	·		



33.	K. Mahendar (DDT)	ATI Chennai	Member
34.	Shrikant S Sonnavane (T.O)	ATI Mumbai	Member
35.	K. Nagasrinivas(DDT)	ATI Hyderabad	Member
36.	G.N. Eswarappa (DDT)	FTI Bangalore	Member
37.	G. Govindan, Sr. Draughtsman	ATI Chennai	Member
38.	M.N.Renukaradhya,	Govt. ITI, Tumkur Road, Banglore,	Member
	Dy.Director/Principal Grade I.,	Karnataka	
39.	B.V.Venkatesh Reddy. JTO	Govt. ITI, Tumkur Road, Banglore,	Member
		Karnataka	
40.	N.M.Kajale, Principal,	Govt. ITI Velhe, Distt: Pune,	Member
		Maharashtra	
41.	SubrataPolley, Instructor	ITI Howrah Homes, West Bengal	Member
42.	VINOD KUMAR.R	Govt.ITIDhanuvachapuram	Member
	Sr.Instructor	Trivandrum, Dist., Kerala	
43.	M. Anbalagan, B.E., Assistant	Govt. ITI Coimbatore, Tamil Nadu	Member
	Training Officer		
44.	L.K.Mukherjee, DDT	CSTARI, Kolkata	Member
45.	R. N. Manna, TO	CSTARI, Kolkata	Member
Other in	dustry representatives		
46.	VenugopalParvatikar	Skill Sonics, Bangalore	Member
47.	VenkataDasari	Skill Sonics, Bangalore	Member
48.	Srihari, D	CADEM Tech. Pvt. Ltd., Bengaluru	Member
49.	Dasarathi.G.V.	CADEM Tech. Pvt. Ltd., Bengaluru	Member
50.	L.R.S.Mani	Ohm Shakti Industries, Bengaluru	Member
51.	P. Joji, Ex-JDT	DGT, MSDE, New Delhi	Member
52.	K. Lakshmi Narayanan	Skill Development Centre, JBM Auto System Pvt. Ltd., Kancheepuram	Member





S No.	Topics	Page No.
1.	Course Information	1-2
2.	Training System	3-6
3.	Job Role	7
4.	NSQF Level Compliance	8
5.	General Information	9-10
6.	Learning Outcome	11-13
7.	Learning Outcome with Assessment Criteria	14-22
8.	Syllabus	23-40
9.	Syllabus - Core Skill	41-51
	9.1 Core Skill – Workshop Calculation & Science and Engineering Drawing	
	9.2 Core Skill – Employability Skill	
10.	Annexure I	52-62
	List of Trade Tools & Equipment	
	List of Tools & Equipment for Employability Skill	1
11.	Annexure II - Format for Internal Assessment	63





During the two years duration a candidate is trained on subjects Professional Skill, Professional Knowledge, Engineering Drawing, Workshop Science & Calculation and Employability Skills. In addition to this a candidate is entrusted to make/do project work and Extra Curricular Activities to build up confidence. The practical skills are imparted in simple to complex manner & simultaneously theory subject is taught in the same fashion to apply cognitive knowledge while executing task. The practical part starts with basic fitting & turning and executes complex turning operation both in conventional lathe and CNC turn centre at the end of the course. The broad components covered under Professional Skill subject are as below:

First Year: The practical part starts with basic fitting & different turning including setting of different shaped job on different chucks. The different turning operations — Plain, Facing, Drilling, Boring (counter and stepped) Grooving, Parallel turning, Stepped turning, Parting, Chamfering, U-cut, Reaming, Internal recess & Knurling. The skills on grinding of different cutting tools viz., V tool, side cutting, parting and thread cutting (both LH & RH) are also imparted. During this period the testing alignment of lathe by checking different parameters viz., axial slip of main spindle, true running of head stock, parallelism of main spindle and alignment of both the centres are also covered. The observation of all safety aspects is mandatory during execution any task. The safety aspects covers components like OSH&E, PPE, Fire extinguisher, First Aid and in addition 5S being taught.

This section covers setting of different components (Form tool, Compound slide, Tail stock offset, taper turning attachment) & parameters (feed, speed, depth of cut) of lathe for taper/ angular turning of jobs. Different boring operations (plain, stepped and eccentric) are also undertaken to gain the skill in producing components involving such operations. Different thread cutting (BSW, Metric, Square, ACME, Buttress) by setting machining parameters are being taught in the practical. The use different accessories of lathe (Driving Plate, Steady rest, dog carrier and different centres) are also part of the practical training. During this period the basic maintenance and preventive maintenance of lathe and grinding machine are also covered.

Second Year - On achieving above mentioned skill sets the candidate is engaged in producing different precision of engineering component with an appropriate accuracy (±0.02mm). The machining of different irregular shaped job using different lathe accessories and also producing different utility items viz., Crank Shaft (single throw), Stub arbor, etc. are covered to enhance their competency and perform the job as per practical requirement. The machining of different components along with assembly of such components (male & female) by performing different



turning activities is also covered. The accuracy achieved is of an accuracy of \pm 0.02 mm outside and \pm 0.05mm for inside turning.

A dedicated time of 13 weeks devoted for CNC operations which involve setting both job and tools and operating the CNC turn centre to produce components as per drawing by preparing part programmes. The candidate gets enough training both on multi-media based CNC simulated and on actual intermediate production based CNC machine. The candidate is also imparted training on process plan to produce components by performing special operation on lathe viz., worm shaft cutting and also producing different engineering components viz., drill chuck, collet chuck, screw jack, box nut etc., to develop competency in producing components which is tangible and significant in work and industry ready for executing such work as per demand.

Professional Knowledge subject is simultaneously taught in the same fashion to apply cognitive knowledge while executing task. In addition components like cutting tools and its specification, method of brazing and soldering, calculation involving gear ratio and gearing, and tool life, lubrication and functions, jigs and fixtures, interchangeability, quality control procedure and technical English are also covered under theory part.

Total three projects need to be completed by the candidates in a group. In addition to above components the core skills components viz., Workshop calculation & science, Engineering drawing, employability skills are also covered. These core skills are essential skills which are necessary to perform the job in any given situation.



2.1 GENERAL

Directorate General of Training (DGT) under Ministry of Skill Development & Entrepreneurship offers range of vocational training courses catering to the need of different sectors of economy/ Labour market. The vocational training programmes are delivered under aegis of National Council of Vocational Training (NCVT). Craftsman Training Scheme (CTS) and Apprenticeship Training Scheme (ATS) are two pioneer programmes of NCVT for propagating vocational training.

Turner trade under CTS is one of the most popular courses delivered nationwide through network of ITIs. The course is of two years duration. It mainly consists of Domain area and Core area. In the Domain area Trade Theory & Practical impart professional skills and knowledge, while Core area Workshop Calculation and science, Engineering Drawing and Employability Skills imparts requisite core skill & knowledge and life skills. After passing out the training programme, the trainee is being awarded National Trade Certificate (NTC) by NCVT having worldwide recognition.

Candidates need broadly to demonstrate that they are able to:

- Read & interpret technical parameters/documentation, plan and organize work processes, identify necessary materials and tools;
- Perform task with due consideration to safety rules, accident prevention regulations and environmental protection stipulations;
- Apply professional knowledge, core skills & employability skills while performing the job and machining work.
- Check the job/components as per drawing for functioning, identify and rectify errors in job/components.
- Document the technical parameters related to the task undertaken.

2.2 CAREER PROGRESSION PATHWAYS:

- Can appear in 10+2 examination through National Institute of Open Schooling (NIOS) for acquiring higher secondary certificate and can go further for General/ Technical education.
- Can take admission in diploma course in notified branches of Engineering by lateral entry.
- Can join Apprenticeship programme in different types of industries leading to National Apprenticeship certificate (NAC).



• Can join Crafts Instructor Training Scheme (CITS) in the trade for becoming instructor in ITIs.

2.3 COURSE STRUCTURE:

Table below depicts the distribution of training hours across various course elements during a period of two years: -

S No.	Course Element	Notional Training Hours
1	Professional Skill (Trade Practical)	2209
2	Professional Knowledge (Trade Theory)	510
3	Workshop Calculation & Science	170
4	Engineering Drawing	255
5	Employability Skills	110
6	Library & Extracurricular activities	146
7	Project work	240
8	Revision & Examination	520
	Total	4160

2.4 ASSESSMENT & CERTIFICATION

The trainee will be tested for his skill, knowledge and attitude during the period of course and at the end of the training programme as notified by Govt. of India from time to time. The Employability skills will be tested in first year itself.

- a) The **Internal assessment** during the period of training will be done by **Formative assessment method** by testing for assessment criteria listed against learning outcomes. The training institute have to maintain individual *trainee portfolio* as detailed in assessment guideline. The marks of internal assessment will be as per the template (Annexure II).
- b) The final assessment will be in the form of summative assessment method. The All India Trade Test for awarding NTC will be conducted by NCVT as per guideline of Govt. of India. The pattern and marking structure is being notified by govt. of India from time to time. **The learning outcome and assessment criteria will be basis for setting question papers for final assessment. The examiner during final examination will also check individual trainee's profile as detailed in assessment guideline before giving marks for practical examination.**

2.4.1 PASS REGULATION

For the purposes of determining the overall result, weightage of 100% is applied for six months and one year duration courses and 50% weightage is applied to each examination for



two years courses. The minimum pass percent for Practical is 60% & minimum pass percent for Theory subjects is 33%.

2.4.2 ASSESSMENT GUIDELINE

Appropriate arrangements should be made to ensure that there will be no artificial barriers to assessment. The nature of special needs should be taken into account while undertaking assessment. Due consideration should be given while assessing for team work, avoidance/reduction of scrap/wastage and disposal of scarp/wastage as per procedure, behavioral attitude, sensitivity to environment and regularity in training. The sensitivity towards OSHE and self-learning attitude are to be considered while assessing competency.

Assessment will be evidence based comprising the following:

- Job carried out in labs/workshop
- Record book/ daily diary
- Answer sheet of assessment
- Viva-voce
- Progress chart
- Attendance and punctuality
- Assignment
- Project work

Evidences of internal assessments are to be preserved until forthcoming examination for audit and verification by examination body. The following marking pattern to be adopted while assessing:

Performance Level	Evidence			
(a) Weightage in the range of 60 -75% to be allotted during assessment				
For performance in this grade, the candidate with occasional guidance and showing due regard for safety procedures and practices, has produced work which demonstrates attainment of an acceptable standard of craftsmanship.	 Demonstration of good skill in the use of hand tools, machine tools and workshop equipment 60-70% accuracy achieved while undertaking different work with those demanded by the component/job. A fairly good level of neatness and consistency in the finish Occasional support in completing the project/job. 			
(b)Weightage in the range of above 75% - 90% to be allotted during assessment				
For this grade, the candidate, with little	Good skill levels in the use of hand tools,			



guidance and showing due regard for safety procedures and practices, has produced work which demonstrates attainment of a reasonable standard of craftsmanship. machine tools and workshop equipment

- 70-80% accuracy achieved while undertaking different work with those demanded by the component/job.
- A good level of neatness and consistency in the finish
- Little support in completing the project/job

(c) Weightage in the range of above 90% to be allotted during assessment

For performance in this grade, the candidate, with minimal or no support in organization and execution and with due regard for safety procedures and practices, has produced work which demonstrates attainment of a high standard of craftsmanship.

- High skill levels in the use of hand tools, machine tools and workshop equipment
- Above 80% accuracy achieved while undertaking different work with those demanded by the component/job.
- A high level of neatness and consistency in the finish.
- Minimal or no support in completing the project.

Skill India कौशल भारत-कुशल भारत



Brief description of Job roles:

Turner; Lathe Operator makes metal articles to required specifications using lathe and cutting tools. Studies drawings and other specifications of parts to be made. Selects metal, holds it in chuck, fixture on lathe as required, centres it by manipulating chuck jaws or otherwise using dial indicator or marking block and securely tightens it in position. Selects correct cutting tool, grinds it if necessary and holds it tight in tool post at correct height. Sets feed and speed and starts machine. Manipulates hand wheels or starts automatic controls to guide cutting tool into or along metal. Controls flow of coolant (cutting lubricant) on edge of tool. Arranges gears in machine to obtain required pitch for screw cutting. Calculates tapers and sets machine for taper turning, controls lathe during operation by means of hand wheels and levers and frequently checks progress of cutting with measuring instruments such as calipers and rule, micrometers, etc. Stops machine, removes completed part and checks it further with instruments to ensure accuracy. Repeats operations if necessary. Cleans and oils machine. Demonstrate the setting & operation of CNC turning machine and produce components as per drawing by preparing part programmes. May be designated as Turner according to nature of work done. May improvise devices and make simple adjustments to machine. May recondition lathe tools.

Plan and organize assigned work and detect & resolve issues during execution. Demonstrate possible solutions and agree tasks within the team. Communicate with required clarity and understand technical English. Sensitive to environment, self-learning and productivity.

May be designated as Turner according to nature of work done

Reference NCO:

i) NCO-2015:7223.0601



NSQF level for Turner trade under CTS: Level 5

As per notification issued by Govt. of India dated- 27.12.2013 on National Skill Qualification Framework total 10 (Ten) Levels are defined.

Each level of the NSQF is associated with a set of descriptors made up of five outcome statements, which describe in general terms, the minimum knowledge, skills and attributes that a learner needs to acquire in order to be certified for that level.

Each level of the NSQF is described by a statement of learning outcomes in five domains, known as level descriptors. These five domains are:

- a. Process
- b. professional knowledge
- c. professional skill
- d. core skill
- e. Responsibility

The Broad Learning outcome of **Turner** trade under CTS mostly matches with the Level descriptor at Level- 5.

The NSQF level-5 descriptor is given below:

Level	Process required	Professional knowledge	Professional skill	Core skill	Responsibility
Level 5	Job that requires well developed skill, with clear choice of procedures in familiar context.	knowledge of facts, principles, processes and general concepts, in a field of work or study	a range of cognitive and practical skills required to accomplish tasks and solve problem by selecting and applying basic methods, tools, materials and information.	Desired mathematical skill, understanding of social, political and some skill of collecting and organizing information, communication.	Responsibility for own work and Learning and some responsibility for other's works and learning.



5. GENERAL INFORMATION

Name of the Trade	Turner		
NCO - 2015	7223.0601		
NSQF Level	Level – 5		
Duration of Craftsmen Training	Two years		
Entry Qualification	Passed 10 th Class with Science and Mathematics or its equivalent		
Unit Strength (No. Of Student)	20		
Space Norms	110 Sq. m		
Power Norms	18.5 KW		
Instructors Qualification for			
1. Turner Trade	Degree in Mechanical Engineering from recognized Engineering College /university with one year experience in the relevant field. OR Diploma in Mechanical Engineering from recognized board of technical education with two years' experience in the relevant field. OR 10 th Class Pass + NTC/NAC in the Trade of "Turner" With 3 years post qualification experience in the relevant field. Essential Qualification: Craft Instructor Certificate in relevant trade under NCVT. Out of two Instructors required for the unit of 2(1+1), one must have Degree/Diploma and other must have NTC/NAC qualifications.		
2. Workshop Calculation & Science	Degree in Engineering with one year experience. OR Diploma in Engineering with two years experience. Essential Qualification: Craft Instructor Certificate in RoD & A course under NCVT.		
3. Engineering Drawing	Degree in Engineering with one year experience. OR Diploma in Engineering with two years experience. OR NTC / NAC in the Draughtsman (Mechanical) with three years		



experience.						
		Essential Qualification:				
		Craft Instruct	tor Certificate	e in RoD & A	course under NCV	T.
4. Employal	oility Skill	MBA OR BBA	with two ye	ears experien	ce OR Graduate ir	n Sociology/
	•	Social Welf	are/ Econor	nics with ⁻	Two years expe	erience OR
		Graduate/ D	Diploma with	Two years	experience and	trained in
		Employability	y Skills from I	DGT institutes	S.	
				AND		
		Must have	studied En	glish/ Comn	nunication Skills	and Basic
		Computer at	12th / Diploi	ma level and	above.	
		OR				
		Existing Soci Skills from D			uly trained in En	nployability
List of Tools Equipment	and	As per Annex	cure – I			
Distribution	of training on H	lourly basis: (Indicative on	ily)		
Total hours /week	Trade practical	shop Cal. shop				
40 Hours	25 Hours	6 Hours 2 Hours 3 Hours 2 Hours		2 Hours	2 Hours	



Learning outcomes are reflection of total competencies of a trainee and assessment will be carried out as per assessment criteria.

6.1 GENERIC LEARNINGOUTCOME

- 1. Recognize & comply safe working practices, environment regulation and housekeeping.
- 2. Understand and explain different mathematical calculation & science in the field of study including basic electrical. [Different mathematical calculation & science -Work, Power & Energy, Algebra, Geometry & Mensuration, Trigonometry, Heat & Temperature, Levers & Simple machine, graph, Statistics, Centre of gravity, Power transmission, Pressure]
- 3. Interpret specifications, different engineering drawing and apply for different application in the field of work. [Different engineering drawing-Geometrical construction, Dimensioning, Layout, Method of representation, Symbol, scales, Different Projections, Machined components & different thread forms, Assembly drawing, Sectional views, Estimation of material, Electrical & electronic symbol]
- 4. Select and ascertain measuring instrument and measure dimension of components and record data.
- 5. Explain the concept in productivity, quality tools, and labour welfare legislation and apply such in day to day work to improve productivity & quality.
- 6. Explain energy conservation, global warming and pollution and contribute in day to day work by optimally using available resources.
- 7. Explain personnel finance, entrepreneurship and manage/organize related task in day to day work for personal & societal growth.
- 8. Plan and organize the work related to the occupation.



6.2 SPECIFIC LEARNING OUTCOME

First Year

- 9. Plan and organize the work to make job as per specification applying different types of basic fitting operations & check for dimensional accuracy. [Basic Fitting Operation Marking, Hack sawing, filing, drilling, taping etc.]
- 10. Set different shaped jobs on different chuck and demonstrate conventional lathe machine operation observing standard operation practice. [Different chucks: 3 jaws & 4 jaws, different shaped jobs: round, hexagonal, square]
- 11. Prepare different cutting tool to produce jobs to appropriate accuracy by performing different turning operations. [Different cutting tool V tool, side cutting, parting, thread cutting (both LH & RH), Appropriate accuracy: ±0.06mm, Different turning operation Plain, facing, drilling, boring (counter & stepped), grooving, Parallel Turning, Step Turning, parting, chamfering, U -cut, Reaming, internal recess, knurling.
- 12. Test the alignment of lathe by checking different parameters and adjust the tool post. [Different parameters Axial slip of main spindle, true running of head stock, parallelism of main spindle, alignment of both the centres.]
- 13. Set different components of machine & parameters to produce taper/ angular components and ensure proper assembly of the components. [Different component of machine: Form tool, Compound slide, tail stock offset, taper turning attachment. Different machine parameters- Feed, speed, depth of cut.]
- 14. Set the different machining parameter & tools to prepare job by performing different boring operations. [Different machine parameter- Feed, speed & depth of cut; Different boring operation Plain, stepped & eccentric]
- 15. Set the different machining parameters to produce different threaded components applying method/ technique and test for proper assembly of the components. [Different thread: BSW, Metric, Square, ACME, Buttress.]
- 16. Set the different machining parameter & lathe accessories to produce components applying techniques and rules and check the accuracy. [Different machining parameters: Speed, feed & depth of cut; Different lathe accessories: Driving Plate, Steady rest, dog carrier and different centres.]
- 17. Plan and perform basic maintenance of lathe & grinding machine and examine their functionality.

Second Year

18. Plan & set the machine parameter to produce precision engineering component to appropriate accuracy by performing different turning operation. [Appropriate accuracy -



- ±0.02mm/ (MT 3) (proof turning); Different turning operation Plain turning, taper turning, boring threading, knurling, grooving, chamfering etc.]
- 19. Set & Produce components on irregular shaped job using different lathe accessories. [Different Lathe accessories: Face plate, angle plate]
- 20. Plan and set the machine using lathe attachment to produce different utility component/ item as per drawing. [Different utility component/ item Crank shaft (single throw), stub arbour with accessories etc.]
- 21. Set the machining parameters and produce & assemble components by performing different boring operations with an appropriate accuracy. [Different boring operation eccentric boring, stepped boring; appropriate accuracy ±0.05mm]
- 22. Calculate to set machine setting to produce different complex threaded component and check for functionality. [Different complex threaded component- Half nut, multi start threads (BSW, Metric & Square)]
- 23. Set (both job and tool) CNC turn centre and produce components as per drawing by preparing part programme.
- 24. Manufacture and assemble components to produce utility items by performing different operations & observing principle of interchangeability and check functionality. [Utility item: screw jack/ vice spindle/ Box nut, Marking block, drill chuck, collet chuck etc.; different operations: threading (Square, BSW, ACME, Metric), Thread on taper, different boring (Plain, stepped)]
- 25. Make a process plan to produce components by performing special operations on lathe and check for accuracy. [Accuracy ±0.02mm or proof machining & ±0.05mm bore; Special operation Worm shaft cutting (shaft) boring, threading etc.]



7. LEARNING OUTCOME WITH ASSESSMENT CRITERIA

GENERIC LEARNING OUTCOME			
LEARNING OUTCOME	ASSESSMENT CRITERIA		
Recognize & comply safe working practices, environment regulation and housekeeping.	 1.1 Follow and maintain procedures to achieve a safe working environment in line with occupational health and safety regulations and requirements. 1.2 Recognize and report all unsafe situations according to 		
	site policy. 1.3 Identify and take necessary precautions on fire and safety hazards and report according to site policy and procedures.		
	1.4 Identify, handle and store / dispose off dangerous/unsalvageable goods and substances according to site policy and procedures following safety regulations and requirements.		
	1.5 Identify and observe site policies and procedures in regard to illness or accident.		
CL	 1.6 Identify safety alarms accurately. 1.7 Report supervisor/ Competent of authority in the event of accident or sickness of any staff and record accident details correctly according to site accident/injury procedures. 		
OK	1.8 Identify and observe site evacuation procedures according to site policy.		
कौशल	1.9 Identify Personal Productive Equipment (PPE) and use the same as per related working environment.1.10 Identify basic first aid and use them under different		
	circumstances. 1.11 Identify different fire extinguisher and use the same as per requirement.		
	1.12 Identify environmental pollution & contribute to avoidance of same.		
	1.13 Take opportunities to use energy and materials in an environmentally friendly manner		
	1.14 Avoid waste and dispose waste as per procedure1.15 Recognize different components of 5S and apply the		
	same in the working environment.		



2. Understand, explain different mathematical calculation & science in the field of study including basic electrical and apply in day to day work.[Different mathematical calculation & science -Work, Power & Energy, Algebra, Geometry & Mensuration, Trigonometry, Heat & Temperature, Levers & Simple machine, graph, Statistics, Centre of gravity, Power transmission, Pressure]	 2.1 Explain concept of basic science related to the field such as Material science, Mass, weight, density, speed, velocity, heat & temperature, force, motion, pressure, heat treatment, centre of gravity, friction. 2.2 Measure dimensions as per drawing 2.3 Use scale/ tapes to measure for fitting to specification. 2.4 Comply given tolerance. 2.5 Prepare list of appropriate materials by interpreting detail drawings and determine quantities of such materials. 2.6 Ensure dimensional accuracy of assembly by using different instruments/gauges. 2.7 Explain basic electricity, insulation &earthing. 	
3. Interpret specifications, different engineering drawing and apply for different application in the field of work. [Different engineering drawing-Geometrical construction, Dimensioning, Layout, Method of representation, Symbol, scales, Different Projections, Machined components & different thread forms, Assembly drawing, Sectional views, Estimation of material, Electrical & electronic symbol]	executing practical work. 3.2 Read & analyse the specification to ascertain the material requirement, tools, and machining /assembly /maintenance parameters. 3.3 Encounter drawings with missing/unspecified key information and make own calculations to fill in missing dimension/parameters to carry out the work.	
4. Select and ascertain measuring instrument and measure dimension of components and record data.	 4.1 Select appropriate measuring instruments such as micrometers, vernier calipers, dial gauge, bevel protector and height gauge (as per tool list). 4.2 Ascertain the functionality & correctness of the instrument. 4.3 Measure dimension of the components & record data to the components of the components of the components of the components. 	
	4.3 Measure dimension of the components & record data to	
	analyse the with given drawing/measurement.	
5 5 1		
5. Explain the concept in productivity, quality tools, and	5.1 Explain the concept of productivity and quality tools and apply during execution of job.	



labour welfare legislation and apply such in day to day work to improve productivity & quality.	 5.2 Understand the basic concept of labour welfare legislation and adhere to responsibilities and remain sensitive towards such laws. 5.3 Knows benefits guaranteed under various acts
6. Explain energy conservation, global warming and pollution and contribute in day to day work by optimally using available resources.	6.1 Explain the concept of energy conservation, global warming, pollution and utilize the available recourses optimally & remain sensitive to avoid environment pollution.
	6.2 Dispose waste following standard procedure.
7. Explain personnel finance, entrepreneurship and	7.1 Explain personnel finance and entrepreneurship.
manage/organize related task in day to day work for personal & societal growth.	7.2 Explain role of Various Schemes and Institutes for self- employment i.e. DIC, SIDA, SISI, NSIC, SIDO, Idea for financing/ non financing support agencies to familiarizes with the Policies /Programmes & procedure & the available scheme.
	7.3 Prepare Project report to become an entrepreneur for submission to financial institutions.
8. Plan and organize the work related to the occupation.	8.1 Use documents, drawings and recognize hazards in the work site.
	8.2 Plan workplace/ assembly location with due consideration to operational stipulation
നില്	8.3 Communicate effectively with others and plan project tasks
ANIXIVI	8.4 Assign roles and responsibilities of the co-trainees for execution of the task effectively and monitor the same.



SPECIFIC LEARNING OUTCOME			
LEARNING OUTCOME	ASSESSMENT CRITERIA		
	FIRST YEAR		
9. Plan and organize the work to make job as per specification applying different types of basic fitting operations & check for dimensional accuracy. [Basic Fitting Operation – Marking, Hack sawing, filing, drilling, taping etc.]	 9.1 Plan & Identify tools, instruments and equipments for marking and make this available for use in a timely manner. 9.2 Select raw material and visual inspect for defects. 9.3 Mark as per specification applying desired mathematical calculation and observing standard procedure. 9.4 Measure all dimensions in accordance with standard specifications and tolerances. 9.5 Identify Hand Tools for different fitting operations and make these available for use in a timely manner. 9.6 Prepare the job for Hacksawing, chiselling, filing, drilling, tapping, grinding. 9.7 Perform basic fitting operations viz., Hacksawing, filing, drilling, tapping and grinding to close tolerance as per specification to make the job. 9.8 Observe safety procedure during above operation as per standard norms and company guidelines. 9.9 Check for dimensional accuracy as per standard procedure. 		
SL	9.10 Avoid waste, ascertain unused materials and components for disposal, store these in an environmentally appropriate manner and prepare for disposal.		
10. Set different shaped jobs on different chuck and	10.1 Identify and acquaint with lathe machine operation with its components.		
demonstrate conventional lathe machine operation observing	10.2 Identify different work holding devices and acquaint with functional application of each device.		
standard operation practice. [Different chucks: - 3 jaws & 4 jaws, different shaped jobs: - round, hexagonal, square]	 10.3 Mount the appropriate work holding device and check for its functional usage to perform turning operations. 10.4 Set the job on chuck as per shape. 10.5 Set the lathe on appropriate speed & feed. 10.6 Operate the lathe to demonstrate lathe operation, 		
	observing standard operating practice. 10.7 Observe safety procedure during above operation as per standard norms and company guidelines.		
11. Prepare different cutting tool to produce jobs to	 11.1 Identify cutting tool materials used on lathe machine as per the specification and their application. 11.2 Plan and Grind cutting tools 		



appropriate accuracy by	11.3 Measure the tool angles with gauge and Bevel protractor as
performing different turning	per tool signature.
operations. [Different cutting	11.4 Mount the job and set machine parameter.
tool – V tool, side cutting,	11.5 Perform turning operations viz., facing, Parallel Turning,
	Step Turning, chamfering, grooving, U -cut, parting, drilling,
parting, thread cutting (both LH	boring (counter & stepped), Reaming, internal recess and
& RH), Appropriate accuracy: -	knurling to make component as per specification.
±0.06mm, Different turning	11.6 Check accuracy/ correctness of job using appropriate gauge
operation – Plain, facing,	and measuring instruments for their functional
, , , , , , , , , , , , , , , , , , , ,	8
drilling, boring (counter &	requirement.
stepped), grooving, Parallel	11.7 Avoid waste, ascertain unused materials and components
Turning, Step Turning, parting,	for disposal, store these in an environmentally appropriate
chamfering, U -cut, Reaming,	manner and prepare for disposal.
	/.
internal recess, knurling.	
12. Test the alignment of	12.1 Plan for testing alignment of lathe
lathe by checking different	12.2 Select appropriate items and tools for testing the alignment.
parameters and adjust the tool	12.3 Demonstrate possible solutions and agree tasks within the
post. [Different parameters –	team.
	12.4 Perform testing of alignment and adjust the tool post as per
Axial slip of main spindle, true	instruction of machine manual/ standard testing procedure.
running of head stock,	12.5 Check for desired functionality.
parallelism of main spindle,	12.6 Record the different parameters in a standard format.
alignment of both the centres.]	12.0 Record the different parameters in a standard format.
angiment of both the centres.	

13. Set different components of machine & parameters to	13.1	Plan and select appropriate method to produce taper/angular components.
produce taper/ angular components and ensure	13.2	Evaluate angles to set up the tool and machine component for machining.
proper assembly of the components. [Different	13.3	Demonstrate possible solutions and agree tasks within the team.
component of machine: - Form tool, Compound slide,	13.4	Produce taper/ angular components as per standard operating procedure.
tail stock offset, taper turning attachment. Different machine	13.5	Check accuracy/ correctness of job using appropriate gauge and measuring instruments for their functional requirement.
parameters- Feed, speed, depth of cut.]	13.6	Assemble the components to ascertain functionality.



14. Set the different machining	14.1	Plan for different boring (Plain, stepped & eccentric), Select
parameter & tools to		appropriate tools and counter balance while holding the
prepare job by performing		work piece as per requirement.
different boring operations.	14.2	Set the different machining parameters as per requirement.
[Different machine	14.3	Demonstrate possible solutions within the team.
parameter- Feed, speed &	14.4	Set job and produce component following the standard
depth of cut; Different		operating procedure.
boring operation – Plain,	14.5	Measure with instruments/gauges as per drawing.
stepped & eccentric]	14.6	Comply with safety rules when performing the above
		operations.
	14.7	Avoid wastage, ascertain unused materials and components
		for disposal, store these in an environmentally appropriate
		manner and prepare for disposal.
15. Set the different machining	15.1	Plan and select appropriate method to produce threaded
parameters to produce		components.
different threaded	15.2	Plan and prepare thread cutting tool in compliance to
components applying		standard thread parameters.
method/ technique and test	15.3	Produce components as per drawing.
for proper assembly of the	15.4	Check accuracy/ correctness of job using appropriate gauge
components. [Different	.63	and measuring instruments for their functional requirement
thread: - BSW, Metric,	and suit to male /female part.	
Square, ACME, Buttress.]	15.5	Test the proper assembly of the threaded components.
16. Set the different machining	16.1	Identify different lathe accessories of lathe machine as per
parameter & lathe	16.3	functional application.
accessories to produce	16.2	Mount appropriate lathe accessories to set up a job for
components applying techniques and rules and	16.2	machining.
	16.3	Observe safety/ precaution during mounting the
check the accuracy. [Different machining	16.4	Check for the alignment of accessories to machine as nor
parameters: - Speed, feed &	16.4	Check for the alignment of accessories to machine as per standard procedure.
depth of cut; Different lathe	16.5	Set the machining parameter and produce the component
accessories: - Driving Plate,	10.5	applying technique/ machine.
Steady rest, dog carrier and	16.6	Check the accuracy of the component using instruments.
different centres.]	10.0	check the accuracy of the component using matraments.
-		
17. Plan and perform basic	17.1	Plan for periodic and preventive maintenance of lathe/
maintenance of lathe &		grinding machine.
grinding machine and	17.2	Select appropriate items and tools for maintenance.
examine their functionality.	17.3	Demonstrate possible solutions and agree tasks within the
		team.
	17.4	Perform maintenance as per schedule of machine manual.



	17.5 Check for desired functionality.			
SECOND YEAR				
18. Plan & set the machine parameter to produce precision engineering component to appropriate accuracy by performing different turning operation. [Appropriate accuracy - ±0.02mm/ (MT - 3) (proof turning); Different turning operation — Plain turning, taper turning, boring threading, knurling, grooving, chamfering etc.]	 18.1 Plan and select appropriate method to produce components. 18.2 Grind form cutting tool. 18.3 Set the machine parameters. 18.4 Produce components by performing different turning operations as per standard operating procedure and as per drawing. 			
19. Set & Produce components on irregular shaped job using different lathe accessories. [Different Lathe accessories: - Face plate, angle plate]	 19.1 Plan and select appropriate method to produce irregular shaped components with internal taper turning. 19.2 Work out different parameters to set up the tool for machining. 19.3 Set the lathe accessories and mount the job. 19.4 Produce components as per standard operating procedure by using appropriate tools. 19.5 Check accuracy/ correctness of job using appropriate gauge and measuring instruments. 			
20. Plan and set the machine using lathe attachment to produce different utility component/ item as per drawing. [Different utility component/ item — Crank shaft (single throw), stub arbour with accessories etc.]	 20.1. Select appropriate tools and plan for turning and counter balance while holding the work piece as per requirement. 20.2. Comply with safety rules when performing the above operations. 20.3. Demonstrate possible solutions within the team. 20.4. Set the lathe attachment as per requirement and produce component observing standard operating procedure. 20.5. Measure with instruments/gauges as per drawing. 			
21. Set the machining parameters and produce & assemble components by performing different boring operations with an appropriate accuracy.	 21.1 Plan for different boring (Plain, stepped & eccentric) and counter balance while holding the work piece as per requirement andselect appropriate tools. 21.2 Set the different machining parameters as per requirement. 21.3 Demonstrate possible solutions within the team. 21.4 Set job and produce component following the standard 			



[Different boring operation	operating procedure.	
 eccentric boring, stepped 	21.5 Measure with instruments/gauges as per drawing.	
boring; appropriate	21.6 Comply with safety rules when performing the above	
accuracy - ±0.05mm]	operations.	
	21.7 Avoid wastage, ascertain unused materials and components	
	for disposal, store these in an environmentally appropriate	
	manner and prepare for disposal.	
22. Calculate to set machine	22.1 Plan and select appropriate method to produce components	
setting to produce different	with multi start threading.	
complex threaded	22.2 Prepare appropriate tool for generating required thread	
component and check for	form.	
functionality. [Different	22.3 Calculate and set machine	
complex threaded	22.4 Mount the job and turn multi start thread (male and	
component- Half nut, multi	female).	
start threads (BSW, Metric	22.5 Check accuracy/ correctness of job using appropriate gauge	
& Square)]	and measuring instruments.	
	22.6 Match the male & female component for checking for	
	functionality	
	•	
23. Set (both job and tool) CNC 23.1 Plan and prepare part programme as per drawing, sim		
turn centre and produce	for it's correctness with appropriate software.	
components as per drawing	 23.2 Prepare tooling layout and select tools as required 23.3 Demonstrate possible solution within the team. 23.4 Set selected tools on to the machine 23.5 Test/Dry run the part programme on the machine 	
by preparing part		
programme.		
	23.6 Set up the job and machine the component as per standard	
	operating procedure involving parallel, step, taper, drilling,	
	boring, radius, grooving and threading operations, etc.	
여기원(여	23.7 Check accuracy/ correctness of job using appropriate gauge	
	and measuring instruments.	
	23.8 Observe safety/ precaution during machining.	
	23.9 Avoid wastage, ascertain unused materials and components	
	for disposal, store these in an environmentally appropriate	
	manner and prepare for disposal.	
24.Manufacture and assemble	24.1 Plan and select tools and materials for the part components	
components to produce	and make this available for use in a timely manner.	
utility items by performing	·	
different operations &	24.3 Check for accuracy of all the part components and suitability	
observing principle of		
interchangeability and	24.4 Assemble all the part components as per the guide lines	
check functionality. [Utility	given in the drawing.	
	-	



item: - screw jack/ vice spindle/ Box nut, Marking block, drill chuck, collet chuck etc.; different operations: - threading (Square, BSW, ACME, Metric), Thread on taper, different boring (Plain, stepped)]	 24.5 Check for functionality of the screw jack, vice spindle/ Box nut, marking block, drill chuck, collet chuck etc., as per standard operating procedure. 24.6 Avoid waste, ascertain unused materials and components for disposal, store these in an environmentally appropriate manner and prepare for disposal.
25. Make a process plan to produce components by	25.1 Plan and select appropriate method to produce components with worm gear cutting.
performing special operations on lathe and	25.2 Prepare appropriate tool for producing required worm shaft.
check for accuracy. [Accuracy - ± 0.02 mm or	25.3 Set the job and turn worm shaft, match for accurate fitting with female gauge.
proof machining & ±0.05mm bore; Special operation — Worm shaft cutting (shaft) boring, threading etc.]	25.4 Check accuracy/ correctness of job using appropriate gauge and measuring instruments.

Skill India कौशल भारत-कुशल भारत



SYLLABUS – TURNER TRADE						
First Year						
Week No.	Reference Learning Outcome	Professional Skills (Trade Practical) With Indicative Hours	Professional Knowledge (Trade Theory)			
1	Recognize & comply safe working practices, environment regulation and housekeeping.	 Importance of trade training, List of tools & Machinery used in the trade. (1 hr.) Safety attitude development of the trainee by educating them to use Personal Protective Equipment (PPE). (5 hrs.) First Aid Method and basic training. (2 hrs.) Safe disposal of waste materials like cotton waste, metal chips/burrs etc. (2 hrs.) Hazard identification and avoidance. (2 hrs.) Safety signs for Danger, Warning, caution & personal safety message.(1 hr.) Preventive measures for electrical accidents & steps to be taken in such accidents.(2 hrs.) Use of Fire extinguishers. (7 hrs.) Practice and understand precautions to be followed while working in fitting jobs. (2 hrs.) Safe use of tools and equipments used in the trade. (1 hr.) 	All necessary guidance to be provided to the new comers to become familiar with the working of Industrial Training Institute system including stores procedures. Soft Skills: its importance and Job area after completion of training. Importance of safety and general precautions observed in the in the industry/shop floor. Introduction of First aid. Operation of electrical mains. Introduction of PPEs. Response to emergencies e.g.; power failure, fire, and system failure. Importance of housekeeping & good shop floor practices. Introduction to 5S concept & its application. Occupational Safety & Health: Health, Safety and Environment guidelines, legislations & regulations as applicable.			
2.	Plan and organize the work to make job as per specification	11. Identification of tools & equipments as per desired specifications for marking & sawing (Hand tools, Fitting	Measurement, line standard and end standard, steel rule-different types, graduation and limitation. Hammer and chisel-materials, types			



	applying different types of basic fitting operations & check for dimensional accuracy. [Basic Fitting Operation – Marking, Hack sawing, filing, drilling, taping etc.]	tools & Measuring tools) (2 hrs.) 12. Selection of material as per application Visual inspection of raw material for rusting, scaling, corrosion etc. (1 hr.) 13. Marking out lines, gripping suitably in vice jaws, hack sawing to given dimensions, sawing different types of metals of different sections. (16 hrs.) 14. Practice on hammering, marking out, chipping, chisel grinding. (6 hrs.)	and uses. Prick punch and scriber.
3-4	-do-	 15. Filing practice on plain surfaces, right angle by filing. (45 hrs.) 16. Use of calipers and scale measurement. (5 hrs.) 	Vice – types and uses, Files-different types of uses, cut, grade, shape, materials etc. Try square-different types, parts, material used etc. Calipers-types and uses (firm joint).
5.	-do-	17. Filing at right angle, marking & hack sawing. (25 hrs.)	Vee – block, scribing block, straight edge and its uses. Hacksaw-their types & uses.
6	-do- कोश	18. Marking operation on flat & round job. (10 hrs.) 19. Drilling operation: Drill on flat, square bar and round bar of different material (Sensitive drill machine). (15 hrs.)	Center punch- materials, construction & material uses. Drill machine-different parts. Hacksaw blades- sizes, different Parts. Hacksaw blades-sizes, different pitch for different materials. Nomenclature of drill.
7.	-do-	 20. Different threading (BSW, BSP, BA, Metric, UNC, UNF) with the help of taps and dies both external & internal (including pipes) using collet chuck. (19 hrs.) 21. Extraction of broken tap. (6 hrs.) 	Surface plate its necessity and use. Tap - different types (Taper 2 nd and bottoming) care while tapping. Dies different types and uses. Calculation involved to find Out drill size (Metric and Inch).
8.	Set different shaped	22. Identify & function of	Getting to know the lathe with its



	jobs on different chuck and demonstrate conventional lathe machine operation observing standard operation practice. [Different chucks: - 3 jaws & 4 jaws, different shaped jobs: - round, hexagonal, square]	different parts of lathe. Practice on operation of lathe (dry/idle run). (20 hrs.) 23. Setting lathe on different speed and feed.(5 hrs.)	main components, lever positions and various lubrication points as well. Definition of machine & machine tool and its classification. History and gradual development of lathe.
9.	-do-	 24. Mounting of chuck on machine spindle and unloading -3-jaw chuck & 4-jaw chuck. (15 hrs.) 25. Setting practice on round & square/ hexagonal bar. (3 hrs.) 26. Dismantling and assembling of 3 jaw and 4 jaw chucks. (7 hrs.) 	Classification of lathe in Function and construction of different parts of Lathe.
10-11	Prepare different cutting tool to produce jobs to appropriate accuracy by performing different turning operations. [Different cutting tool – V tool, side cutting, parting, thread cutting (both LH & RH), Appropriate accuracy: -±0.06mm, Different turning operation – Plain, facing,	 27. Turning of round stock and square/hexagonal as per availability on 4-jaw independent chuck. (30 hrs.) 28. Turning of round stock on 3-jaw self centering chuck. (20 hrs.) 	Types of lathe drivers, merit and demerit. Description in details-head stock- cone pulley type- all geared type-construction & function. Tumbler gear set. Reducing speed-necessary & uses. Back Gear Unit –its construction use.



12	drilling, boring (counter & stepped), grooving, Parallel Turning, Step Turning, parting, chamfering, U -cut, Reaming, internal recess, knurlingdo-	29. Grinding of R.H. and L.H., V-	Lathe cutting tool-different types,
12	-uo-	tool, side cutting tools, parting tool. (15 hrs.) 30. Checking of angles with angle gauge / bevel protractor. (1 hr.) 31. Grinding of "V" tools for threading of Metric 60 degree threads. (9 hrs.)	shapes and different angles (clearances and rake), specification of lathe tools
13-14	-do-	 32. Facing operation to correct length (15 hrs.) 33. Centre drilling and drilling operation to required size. (10 hrs.) 34. Make square block by turning using 4-jaw chuck and perform drilling, boring and grooving operation.(25 hrs.) 	Combination drill- appropriate selection of size from chart of combination drill. Drill, chuck- its uses. Lathe accessories, chuck independent, self centering, collet, magnetic etc., its function, construction and uses.
15-16	-do-	 35. Parallel turning, step turning, parting, grooving, chamfering practice. (48 hrs.) 36. Measurement with scale and outside caliper to ± 0.5 mm. accuracy. (2 hrs.) 	Vernier caliper-its construction, principle graduation and reading, least count etc. Digital vernier caliper. Outside micrometer –different parts, principle, graduation, reading, construction. Digital micrometer. Cutting speed, feed depth of cut, calculation involved-speed feed R.P.M. etc. recommended for different materials.
17	-do-	37. Step turning within ± 0.06 mm with different shoulder, U/cut	Different types of micrometer, Outside micrometer. Vernier scale



18-19	-do-	on outside diameter. (15 hrs.) 38. Drilling on Lathe-step drilling, drill grinding practice. (10 hrs.) 39. Boring practice-Plain. counter & step, internal recessing. (20 hrs.) 40. Reaming in lathe using solid and adjustable reamer. (15 hrs.) 41. Make bore by trepanning (10 hrs.) 42. Drill grinding. (5 hrs.)	graduation and reading. Sources of error with micrometer & how to avoid them. Use of digital measuring instruments. Drills-different parts, types, size etc., different cutting angles, cutting speed for different material. Boring tool. Counter -sinking and Counter boring. Letter and number drill, core drill etc. Reamers-types and uses. Lubricant and coolant-types, necessity, system of distribution, selection of coolant for different
20-21	-do-	 43. Turning practice-between centres on mandrel (Gear blanks). (20 hrs.) 44. Fitting of dissimilar materials-M.S. in brass, aluminium, in cast iron etc. (20 hrs.) 45. Knurling practice in lathe (Diamond, straight, helical & square). (10 hrs.) 	material: Handling and care. Knurling meaning, necessity, types, grade, cutting speed for knurling. Lathe mandrel-different types and their uses. Concept of interchangeability, Limit, Fit and tolerance as per BIS: 919-unilateral and bilateral system of limit, Fits-different types, symbols for holes and shafts. Hole basis & shaft basis etc. Representation of Tolerance in drawing.
22.	Test the alignment of lathe by checking different parameters and adjust the tool post. [Different parameters – Axial slip of main spindle, true running of head stock, parallelism of main spindle, alignment of both the centres.]	 46. Checking alignment of lathe centres such as Levelling, axial slip of main spindle, true running of head stock centre, parallelism of the main spindle to saddle movement, alignment both the centres. (20 hrs.) 47. Adjustment of tool post. (3 hrs.) 48. Mounting job in between centres. (2 hrs.) 	Driving plate. Face plate & fixed & traveling steadies- construction and use. Transfer caliper-its construction and uses. Lathe centers-types and their uses. Lathe carrier-function, types & uses. Mandrel – Different types and its use. Magnetic stand dial indicator, its used and care.
23-26	Revision		
27	Set different components of	49. Make taper turning by form tool and compound slide	Taper – different methods of expressing tapers, different



	machine & parameters to produce taper/ angular components and ensure proper assembly of the components. [Different component of machine: - Form tool, Compound slide, tail stock offset, taper turning attachment. Different machine parameters- Feed, speed, depth of cut.]	swiveling. (25 hrs.)	standard tapers. Method of taper turning, important dimensions of taper. Taper turning by swiveling compound slide, its calculation.
28-29	-do-	 50. Male and female taper turning by taper turning attachment, offsetting tail stock. (22 hrs.) 51. Matching by Prussian Blue. (2 hrs.) 52. Checking taper by bevel protector and sine bar. (1 hr.) 53. Make MT3 lathe dead centre and check with female part. (Proof machining) (25 hrs.) 	Bevel protector & Vernier bevel protractor-its function & reading. Method of taper angle measurement. Sine bar-types and use. Slip gaugestypes, uses and selection.
30	Set the different machining parameter & tools to prepare job by performing different boring operations. [Different machine parameter- Feed, speed & depth of cut; Different boring operation — Plain, stepped & eccentric]	54. Turning and boring practice on CI (preferable) or steel. (23 hrs.) 55. Tip brazing on shank. (2 hrs.)	Method of brazing solder, flux used for tip tools. Basic process of soldering, welding and brazing.
31-32	-do-	56. Eccentric marking practice. (2 hrs.) 57. Perform eccentric turning. (18	Vernier height gauge, function, description & uses, templates-its function and construction.



		hrs.) 58. Use of Vernier height Gauge and V-block. (1 hr.) 59. Perform eccentric boring. (18 hrs.) 60. Make a simple eccentric with dia. of 22mm and throw/offset of 5mm. (11 hrs.)	Screw thread-definition, purpose & it's different elements. Driving plate and lathe carrier and their usage. Fundamentals of thread cutting on lathe. Combination setsquare head. Center head, protractor head-its function construction and uses.
33-35	Set the different machining parameters to produce different threaded components applying method/ technique and test for proper assembly of the components. [Different thread: - BSW, Metric, Square, ACME, Buttress.]	61. Screw thread cutting (B.S.W) external (including angular approach method) R/H & L/H, checking of thread by using screw thread gauge and thread plug gauge. (16 hrs.) 62. Screw thread cutting (B.S.W) internal R/H & L/H, checking of thread by using screw thread gauge and thread ring gauge. (18 hrs.) 63. Fitting of male & female threaded components (BSW) (2 hrs.) 64. Prepare stud with nut (standard size). (14 hrs.)	Different types of screw thread- their forms and elements. Application of each type of thread. Drive train. Chain gear formula calculation. Different methods of forming threads. Calculation involved in finding core dia., gear train (simple gearing) calculation. Calculations involving driver-driven, lead screw pitch and thread to be cut.
36-37	-do-	65. Grinding of "V" tools for threading of Metric 60 degree threads and check with gauge. (3 hrs.) 66. Screw thread cutting (External) metric thread- tool grinding.(15 hrs.) 67. Screw thread (Internal) metric & threading tool grinding. (16 hrs.) 68. Fitting of male and female thread components (Metric) (2 hrs.) 69. Make hexagonal bolt and nut (metric) and assemble. (14	Thread chasing dial function, construction and use. Calculation involving pitch related to ISO profile. Conventional chart for different profiles, metric, B.A., With worth, pipe etc. Calculation involving gear ratios and gearing (Simple & compound gearing). Screw thread micrometer and its use.



		hrs.)	
38	-do-	70. Cutting metric threads on inch lead screw and inch threads on Metric Lead Screw. (25 hrs.)	Calculation involving gear ratios metric threads cutting on inch L/S Lathe and vice-versa.
39	-do-	71. Practice of negative rake tool on non-ferrous metal and thread cutting along with fitting with ferrous metal. (25 hrs.)	Tool life, negative top rake-its application and performance with respect to positive top rake
40-41	-do-	72. Cutting Square thread (External) (16 hrs.) 73. Cutting Square thread (Internal). (18 hrs.) 74. Fitting of male and female Square threaded components. (2 hrs.) 75. Tool grinding for Square thread (both External & Internal). (2 hrs.) 76. Make square thread for screw jack (standard) for minimum 100mm length bar. (12 hrs.)	Calculation involving tool Thickness, core dia., pitch proportion, depth of cut etc. of sq. thread.
42-43	-do - 5	77. Acme threads cutting (male & female) & tool grinding. (16 hrs.) 78. Fitting of male and female threaded components (14 hrs.) 79. Cut Acme thread over 25 mm dia rod and within length of 100mm. (20 hrs.)	Calculation involved – depth, core dia., pitch proportion etc. of Acme thread. Calculation involved depth, core dia., pitch proportion, use of buttress thread.
44-45	-do-	80. Buttress threads cutting (male & female) & tool grinding. (26 hrs.) 81. Fitting of male & female threaded components. (2 hrs.) 82. Make carpentry vice lead screw (22 hrs.)	Buttress thread cutting (male & female) & tool grinding
46	Set the different machining parameter & lathe	83. Make job using different lathe accessories viz., driving plate, steady rest, dog carrier and	Different lathe accessories, their use and care.



basic maintenance of lathe & grinding machine and dressing of grinding wheel (Pedestal). (5 hrs.) Iubricant. Method of lubrication Dial test indicator use for para and concentricity etc. in respe		produce components applying techniques	different centres. (15 hrs.) 84. Make test mandrel (L=200mm) and counter bore at the end. (10 hrs.)				
carrier and different centres.] 47 Plan and perform basic maintenance of lathe & grinding machine and examine their functionality. 48-49 In-plant training / Project work Broad area: a) Drill extension socket b) conical brush c) V-belt pulley d) Tail Stock Centre (MT – 3) e) Taper ring gauge f) Sprocket		the accuracy. [Different machining parameters: - Speed, feed & depth of cut; Different lathe accessories: -					
basic maintenance of lathe & grinding machine and examine their functionality. 48-49 In-plant training / Project work Broad area: a) Drill extension socket b) conical brush c) V-belt pulley d) Tail Stock Centre (MT – 3) e) Taper ring gauge f) Sprocket		carrier and different					
Broad area: a) Drill extension socket b) conical brush c) V-belt pulley d) Tail Stock Centre (MT – 3) e) Taper ring gauge f) Sprocket	47	basic maintenance of lathe & grinding machine and examine their	dressing of grinding wheel (Pedestal). (5 hrs.) 86. Periodical lubrication procedure on lathe. (10 hrs.) 87. Preventive maintenance of	Lubricant-function, types, sources of lubricant. Method of lubrication. Dial test indicator use for parallelism and concentricity etc. in respect of lathe work Grinding wheel abrasive, grit, grade, bond etc.			
f) Sprocket	48-49	Broad area: a) Drill extension socket b) conical brush c) V-belt pulley					
5,							
50-50 Revision 52 Examination							

<u> Note: -</u>

- 1. Some of the sample project works (indicative only) are given at the mid and end each of vear.
- 2. Instructor may design their own project and also inputs from local industry may be taken for designing such new project.



- 3. The project should broadly covered maximum skills in the particular trade and must involve some problem solving skill. Emphasis should be on Teamwork: Knowing the power of synergy/ collaboration, Work to be assigned in a group (Group of at least 4 trainees). The group should demonstrate Planning, Execution, Contribution and application of Learning. They need to submit Project report.
- 4. If the instructor feels that for execution of specific project more time is required then he may plan accordingly in appropriate time during the execution of normal trade practical.
- 5. More emphasis to be given on video/real-life pictures during theoretical classes. Some real-life pictures/videos of both conventional & CNC turning operation, production of different components, turning of complex job, etc., may be shown to the trainees to give a feel of Industry and their future assignment.





	SYLLABUS -FOOTWEAR MAKER						
	Second Year						
Week No.	Reference Learning Outcome		Professional Skills (Trade Practical) With Indicative Hours	Professional Knowledge (Trade Theory)			
53	Plan & set the machine parameter to produce precision engineering component to appropriate accuracy by performing different turning operation. [Appropriate accuracy - ±0.02mm/ (MT - 3) (proof turning); Different turning operation — Plain turning, taper turning, boring threading, knurling, grooving, chamfering etc.]	88. 89. 90.	using bench grinder. (2 hrs.) Tool machine handle turning by combination feed. (15 hrs.)	Form tools-function-types and uses, Template-purpose & use. Dial test indicator- construction & uses Calculation involving modified rake and clearance angles of lathe tool at above and below the center height. Subsequent effect of tool setting. Jig and fixture-definition, type and use. Chip breaker on tool-purpose and type			
54-55	-65 -57 -57 -57 -57 -57 -57 -57 -57 -57 -5	91. 92.	Turn Morse taper plug (different number) and check with ring gauge / suitable MT sleeve. (25 hrs.) Make revolving tail stock centre- Bush type (C-40). (Proof machining) (25 hrs.)	Cutting tool material-H.C.S., HSS, Tungsten. Carbide, Ceramic etc, - Constituents and their percentage. Tool life, quality of a cutting material.			
56	-do-	93.	Make Morse taper sleeve and check by taper plug gauge. (25 hrs.)	Checking of taper with sin bar and roller-calculation involved			
57	-do-	94.	Make mandrel/ plug gauge with an accuracy of ±0.02mm using tungsten carbide tools including throw-away tips. (25 hrs.)	Cutting speed, feed, turning time, depth of cut calculation, cutting speed chart (tungsten carbide tool) etc. Basic classification of tungsten carbide tips.			
58-59	Set & Produce components on irregular shaped job using different lathe	95. 96.	Setting and turning operation involving face and angle plate (25 hrs.) Make angle plate using face	Accessories used on face plate –their uses. Angle plate-its construction & use. Balancing-its necessity. Surface finish symbols used on			



	accessories. [Different Lathe accessories: - Face plate, angle plate]		plate. (25 hrs.)	working blueprints- I.S. system lapping, honing etc.
60-61	Plan and set the machine using lathe attachment to produce different utility component/ item as per drawing. [Different utility component/ item – Crank shaft (single throw), stub arbour with accessories etc.]	97.	Holding and truing of Crankshaft – single throw (Desirable). (50 hrs.)	Preventive maintenance, its necessity, frequency of lubrication. Preventive maintenance schedule., TPM (Total Productive Maintenance), EHS (Environment, health, Safety) Marking table-construction and function. Angle plate-construction, eccentricity checking.
62	-do-	98.	Turning of long shaft using steady rest (within 0.1 mm). (25 hrs.)	Roller and revolving steadies, Necessary, construction, uses etc.
63-64	-do-	99.	Use of attachments on lathe for different operations. (25 hrs.) Turning standard stub arbor with accessories collar, tie rod, lock nut. (25 hrs.)	Different types of attachments used in lathe. Various procedures of thread measurement thread screw pitch gauge. Screw thread micrometer, microscope etc.
65	Set the machining parameters and produce & assemble components by performing different boring operations with an appropriate accuracy. [Different boring operation – eccentric boring, stepped boring; appropriate accuracy - ±0.05mm]		Perform eccentric boring and make male & female eccentric fitting. (15 hrs.) Position boring using tool maker's button. (10 hrs.)	Tool maker's button and its parts, construction and uses, telescopic gauge its construction and uses.
66	-do-		Boring and stepped boring (within ± 0.05 mm) (15 hrs.) Cutting of helical grooves in bearing and bushes (Oil groove) (10 hrs.)	Inside micrometer principle, construction graduation, reading, use etc. (Metric & Inch.)
67-68	-do-	105.	Turning & boring of split	Care for holding split bearing. Fixture



		bearing – (using boring bar and fixture) (50 hrs.)	and its use in turning.
69	Calculate to set machine setting to produce different complex threaded component and check for functionality. [Different complex threaded component- Half nut, multi start threads (BSW, Metric & Square)]	106. Cutting thread of 8 and 11 TPI. (25 hrs.)	Calculation involving fractional threads. Odd & even threads.
70	-do-	107. Multi start thread cutting (B.S.W.) external & internal. (25 hrs.)	Multiple thread function, use, different between pitch & lead, formulate to find out start, pitch, lead. Gear ratio etc.
71	-do-	108. Multi start thread cutting (Metric) (External & internal). (25 hrs.)	Indexing of start - different methods tool shape for multi-start thread. Setting of a lathe calculation for required change wheel
72	-do-	109. Multi-start thread cutting, square form (Male & Female). (25 hrs.)	Calculation involving shape of tool, change wheel, core dia etc. Calculation involving shape, size pitch, core dia. Etc.
73	- १ ० - कौश	110. Make half nut as per standard lead screw. (25 hrs.)	Helix angle, leading angle & following angles. Thread dimensions-tool shape, gear, gear calculation, pitch, depth, lead etc.
74-75	Broad area: a) Pedes b) Crank c) Arbor d) Mand e) Eccent f) Taper	ect work (work in a team) tal bearing shaft with clamping nut rel with jaw tric with connecting rod mandrel with sphere Handle	
76-78		Revision	
79	Set (both job and tool) CNC turn centre and produce components	111. Personal and CNC machine Safety: Safe handling of tools, equipment and CNC	CNC technology basics: Difference between CNC and conventional lathes. Advantages and



	as per drawing by		machine. (2 hrs.)	disadvantages of CNC machines
	preparing part	112.	Identify CNC machine, CNC	over conventional machines.
	programme.		console. (5 hrs.)	Machine model, control system and
	p. 98. d	113.	Demonstration of CNC lathe	specification.
			machine and its parts - bed,	Specification.
			spindle motor and drive,	Axes convention of CNC machine -
			chuck, tailstock, turret, axes	Machine axes identification for CNC
			motor and ball screws, guide	turn centre.
			ways, LM guides, console,	
			control switches, coolant	Importance of feedback devices for CNC control.
			system, hydraulic system,	CIVE CONTROL.
			chip conveyor, steady rest.	Concept of Co-ordinate geometry,
			(10 hrs.)	concept of machine axis.
		11/	Working of parts explained	•
		114.	using Multimedia based	
			simulator for CNC parts	
			shown on machine. (6 hrs.)	
		115	Identify machine over travel	
		115.	limits and emergency stop.	
00.03	do	110	(2 hrs.)	Duogramaina convento formato
80-82	-do-	110.	Conduct a preliminary check of the readiness of the CNC	Programming – sequence, formats, different codes and words.
				Co-ordinate system points and
			turning centre viz.,	simulations.
	400.1		cleanliness of machine,	Work-piece zero points and ISO/DIN
		ar 1	referencing – zero return,	G and M codes for CNC.
		7	functioning of lubrication,	Different types of programming
		N. I	coolant level, correct working	techniques of CNC machine.
		117	of sub-system. (2 hrs.) Identification of safety	Describe the stock removal cycle in
	1/2	11/.	switches and interlocking of	CNC turning for OD / ID operation.
	रजाश	77	DIH modes. (1 hr.)	L/H and R/H tool relation on speed.
	45171	118.	Machine starting & operating	Describe CNC interpolation, open and close loop control systems. Co-
			in Reference Point, JOG and	ordinate systems and Points.
			Incremental Modes. (12 hrs.)	Program execution in different
		119.	Check CNC part programming	modes like manual, single block and
			with simple exercises and	auto.
			using various programming	Absolute and incremental
			codes and words. (12 hrs.)	programming. Canned cycles.
		120.	Check the programme	Cutting parameters- cutting speed,
			simulation on machine OR	feed rate , depth of cut, constant
			practice in simulation	surface speed, limiting spindle
			software in respective	speed, tool wear, tool life, relative
			control system. (12 hrs.)	effect of each cutting parameter on
		121.	Absolute and incremental	tool life. Selection of cutting parameters
			programming assignments	from a tool manufacturer's catalog



		and simulations. (12 hrs.) 122. Linear interpolation, and Circular interpolation assignments and simulations on soft ware. (24 hrs.) Tool path study of machining operations Prepare various operations. Process planning & sequencing, tool layout & selection and cutting parameters selection. Tool path study of machining operations Prepare various programs as per drawing.
83-85	S कौश	Tool Nose Radius Compensation (G41/42) and its importance (TNRC). Cutting tool materials, cutting tool geometry – insert types, holder types, insert cutting edge geometry. Left Carryout jaw adjustment according to Diameter and tooling setup on Turret. (12 hrs.) Left CNC turning centre operation in various modes: JOG, EDIT, MDI, SINGLE BLOCK, AUTO. (12 hrs.) Left Program entry. (2 hrs.) Left Program entry or tool nose radius and orientation. (12 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Reft Program entry in CNC Control. (8 hrs.) Left Program entry in CNC Control. (8 hrs.) L
86-88	-do-	132. Program checking in dry run, single block modes. (6 hrs.) 133. Checking finish size by over sizing through tool offsets. (9 hrs.) 134. Part program preparation, Simulation & Automatic Mode Execution for the exercise on Simple turning &



		Facing (step turning) (10 hrs.)	
		135. Part program preparation,	
		Simulation & Automatic	
		Mode Execution for the	
		exercise on Turning with	
		Radius / chamfer with TNRC.	
		(10 hrs.)	
		136. Part program preparation,	
		Simulation & Automatic	
		Mode Execution of CNC	
		Machine for the exercise on	
		Blue print programming	
		contours with TNRC. (10 hrs.)	
		137. Machining parts on CNC	
		lathe with parallel, taper,	
		step, radius turning, grooving	
		& threading. (15 hrs.)	
		138. Carryout Drilling /Boring	
		cycles in CNC Turning. (15	
		hrs.)	
		(First 60 % of the practice is	
		on CNC machine simulator,	
		followed by 40 % on	
		machine.)	
89-91	-do-	139. Geometry Wear Correction.	- Describe Tapping on CNC turning.
05 51	40	Geometry and wear offset	- Programming for
	N C	correction. (10 hrs.)	Grooving/Threading on OD/ID in
		140. Produce components on CNC	CNC Turning.
		Machine involving different	- Trouble shooting in CNC lathe
		turning operations viz.,	machine
	4기본(0	Stock removal cycle OD	- Identify Factors affecting turned
		 Drilling / boring cycles 	part quality/ productivity.
		 Stock removal cycle ID 	Parting off operation explanation.
		•	- Bar feeding system through bar
		Carryout threading in different pitches (19 brs.)	feeder.
		different pitches. (18 hrs.)	- Input and Output of Data.
		141. Produce components by	- DNC system. Interlacing with PC.
		involving turning operation	- Use of CAM Programme.
		and part programme	(Optional)
		exercises of CNC turning viz.,	(Optional)
		Grooving and thread	
		cutting OD	
		Grooving and thread	
		cutting ID	
		 Threading cycle OD 	



ble components duce utility by performing ent operations & ving principle of hangeability and functionality. v item: - screw vice spindle/ Box Marking block, nuck, collet etc.; different tions: - ding (Square, ACME, Metric), d on taper, ent boring (Plain,	143. 144. 145. 146. 147. 148.	Produce job involving profile turning, threading on taper, boring, etc. operations. (22 hrs.) Demo on M/C on bar feeding system. (simulation/ video) (1 hr.) DNC system setup. (Optional) Run the machine on DNC mode.(Optional) CAM programme execution. (Optional) Data Input-Output on CNC machine. (2 hrs.)	Setting of tool for taper threads-calculation of taper setting and thread depth. Heat treatment – meaning & procedure hardening, tempering, carbonizing etc. Different types of metal used in engineering application.
ed)]			
-do-	150.	Manufacturing & Assembly of Screw jack/vice/Box nut by performing different lathe operation. (To use earlier produce screw jack). (50 hrs.)	Interchangeability meaning, procedure for adoption, quality control procedure for quality production.
	facture and able components duce utility by performing ent operations & ving principle of hangeability and functionality. If item: - screw vice spindle/ Box farking block, auck, collet etc.; different etc.; different etc.; different etc.; don taper, ent boring (Plain, ed)] -do-	facture and able components duce utility by performing ent operations & ving principle of changeability and functionality. Vitem: - screw vice spindle/ Box Marking block, nuck, collet etc.; different tions: - ding (Square, ACME, Metric), d on taper, ent boring (Plain, ed)]	repetition Using Sub Programs & Cycles in the Main Program. (18 hrs.) 142. Part off: Part Prog. (4 hrs.) 143. Produce job involving profile turning, threading on taper, boring, etc. operations. (22 hrs.) 144. Demo on M/C on bar feeding system. (simulation/ video) (1 hr.) 145. DNC system setup. (Optional) 146. Run the machine on DNC mode. (Optional) 147. CAM programme execution. (Optional) 148. Data Input-Output on CNC machine. (2 hrs.) facture and able components duce utility by performing ent operations & ving principle of hangeability and functionality. Vitem: - screw vice spindle/ Box farking block, nuck, collet etc.; different tions: - ding (Square, ACME, Metric), don taper, ent boring (Plain, ed)] -do- 150. Manufacturing & Assembly of Screw jack/vice/Box nut by performing different lathe operation. (To use earlier



96	-do-	151. Prepare different types of documentation as per industrial need by different methods of recording information. (4 hrs.) 152. Turn Bevel gear blank. (21 hrs.)	Importance of Technical English terms used in industry –(in simple definition only)Technical forms, process charts, activity logs in required formats of industry, estimation, cycle time, productivity reports, job cards.				
97	Make a process plan to produce components by performing special operations on lathe and check for accuracy. [Accuracy - ±0.02mm or proof machining & ±0.05mm bore; Special operation – Worm shaft cutting (shaft) boring, threading etc.]	153. Read a part drawing, make a process plan for turning operation and make arbor with clamping nut (hexagonal). (25 hrs.)	Terms used in part drawings and interpretation of drawings — tolerances, geometrical symbols - cylindricity, parallelism. etc.				
98	-do-	154. Practice of special operations on lathes - worm gear cutting. (Shaft) (25 hrs.)	Automatic lathe-its main parts, types diff. Tools used-circular tool etc				
99	-do- कौश	155. Boring on lathe using soft jaws to make bush with collar (standard) on non ferrous metal and check with dial bore gauge to accuracy of +/- 0.05 mm. (15 hrs.) 156. Make Arbor support bush. (Proof Machining) (10 hrs.)	Related theory and calculation.				
100-	In-plant training/ Proje	ct work (Any Project to be done on C	NC machine)				
101	a) Taper Su		•				
	b) Socket With Split Collet						
	c) Screw Jack						
	d) Spindle V						
	· ·	aper Eccentric					
	f) Crank Sh	aft With Taper Sleeve					
102- 103	Revision						
104	Examination						



NOTE:-

- 1. Some of the sample project works (indicative only) are given at the mid and end of year.
- 2. Instructor may design their own project and also inputs from local industry may be taken for designing such new project.
- 3. The project should broadly covered maximum skills in the particular trade and must involve some problem solving skill. Emphasis should be on Teamwork: Knowing the power of synergy/ collaboration, Work to be assigned in a group (Group of at least 4 trainees). The group should demonstrate Planning, Execution, Contribution and application of Learning. They need to submit Project report.
- 4. If the instructor feels that for execution of specific project more time is required then he may plan accordingly in appropriate time during the execution of normal trade practical.
- 5. More emphasis to be given on video/real-life pictures during theoretical classes. Some real-life pictures/videos of both conventional & CNC turning operation, production of different components, turning of complex job, etc., may be shown to the trainees to give a feel of Industry and their future assignment.





9.1 WORKSHOP CALCULATION SCIENCE & ENGINEERING DRAWING

First Year						
S No.	Workshop Calculation and Science	Engineering Drawing				
1.	<u>Unit</u> : Systems of unit- FPS, CGS, MKS/SI unit, unit of length, Mass and time, Conversion of units	 Engineering Drawing: Introduction and its importance Relationship to other technical drawing types Conventions Viewing of engineering drawing sheets. Method of Folding of printed Drawing Sheet as per BIS SP:46-2003 				
2.	Fractions: Fractions, Decimal fraction, L.C.M., H.C.F., Multiplication and Division of Fractions and Decimals, conversion of Fraction to Decimal and vice versa. Simple problems using Scientific Calculator.	Drawing Instruments: their Standard and uses - Drawing board, T-Square, Drafter (Drafting M/c), Set Squares, Protractor, Drawing Instrument Box (Compass, Dividers, Scale, Diagonal Scales etc.), Pencils of different Grades, Drawing pins / Clips.				
3.	Square Root : Square and Square Root, method of finding out square roots, Simple problem using calculator.	Lines: Definition, types and applications in Drawing as per BIS SP:46-2003 Classification of lines (Hidden, centre, construction, Extension, Dimension, Section) Drawing lines of given length (Straight, curved) Drawing of parallel lines, perpendicular line Methods of Division of line segment				
4.	Ratio & Proportion : Simple calculation on related problems.	Drawing of Geometrical Figures: Definition, nomenclature and practice of - Angle: Measurement and its types, method of bisecting Triangle -different types - Rectangle, Square, Rhombus, Parallelogram Circle and its elements.				



5.	Percentage : Introduction, Simple	Lettering and Numbering as per BIS SP46-2003:
	calculation. Changing percentage to	- Single Stroke, Double Stroke, inclined, Upper
	decimal and fraction and vice-versa.	case and Lower case.
6.	Material Science: properties -Physical & Mechanical, Types –Ferrous & Non-	Dimensioning:
	Ferrous, difference between Ferrous and Non-Ferrous metals, introduction	 Definition, types and methods of dimensioning (functional, non-functional and auxiliary)
	of Iron, Cast Iron, Wrought Iron, Steel, difference between Iron and Steel,	Types of arrowheadLeader Line with text
	Alloy steel, carbon steel, stainless	Leader Line With text
	steel, Non-Ferrous metals, Non-	
	Ferrous Alloys.	-6.
7.	Mass, Weight and Density: Mass,	Free hand drawing of
	Unit of Mass, Weight, difference between mass and weight, Density, unit of density, specific gravity of metals.	 Lines, polygons, ellipse, etc. geometrical figures and blocks with dimension Transferring measurement from the given
8.	Speed and Velocity: Rest and motion,	object to the free hand sketches. Sizes and Layout of Drawing Sheets
	speed and velocity, difference between speed and velocity, acceleration, retardation, equations of motions, simple related problems.	 Basic principle of Sheet Size Designation of sizes Selection of sizes Title Block, its position and content Borders and Frames (Orientation marks and graduations) Grid Reference Item Reference on Drawing Sheet (Item List)
9.	Work, Power and Energy: work, unit of work, power, unit of power, Horse power of engines, mechanical efficiency, energy, use of energy, potential and kinetic energy, examples of potential energy and kinetic energy.	Method of presentation of Engineering Drawing - Pictorial View - Orthogonal View - Isometric view
10.		Symbolic Representation (as per BIS SP:46-2003) of :



11.	Algebra: Addition, Subtraction, Multiplication, Division, Algebraic formula, Linear equations (with two variables).	 Fastener (Rivets, Bolts and Nuts) Bars and profile sections Weld, brazed and soldered joints. Electrical and electronics element Piping joints and fittings Construction of Scales and diagonal scale
12.	Mensuration: Area and perimeter of square, rectangle, parallelogram, triangle, circle, semi circle, Volume of solids – cube, cuboids, cylinder and Sphere. Surface area of solids – cube, cuboids, cylinder and Sphere.	Practice of Lettering and Title Block
13.	Trigonometry: Trigonometrical ratios, measurement of angles. Trigonometric tables	Position of dimensioning (unidirectional, aligned, oblique as per BIS SP:46-2003) Symbols preceding the value of dimension and dimensional tolerance. Text of dimension of repeated features, equidistance elements, circumferential objects.
14.	Heat & Temperature: Heat and temperature, their units, difference between heat and temperature, boiling point, melting point, scale of temperature, relation between different scale of temperature, Thermometer, pyrometer, transmission of heat, conduction, convection, radiation.	- Different Polygons and their values of included angles. Inscribed and Circumscribed polygons Conic Sections (Ellipse& Parabola)
15.	Basic Electricity: Introduction, use of electricity, how electricity is produced, Types of current_ AC, DC, their comparison, voltage, resistance, their	Drawing of Solid figures (Cube, Cuboids, Cone, Prism, Pyramid, Frustum of Cone and Pyramid.) with dimensions.



			7
	units. Conductor, insulator, Types of		
	connections – series, parallel, electric		
	power, Horse power, energy, unit of		
	electrical energy.		
1.0			
16.	Levers and Simple Machines: le	vers	Free Hand sketch of hand tools and measuring
	and its types.		tools used in respective trades.
	Simple Machines, Effort and Loa	d,	
	Mechanical Advantage, Velocity	Ratio,	
	Efficiency of machine, Relations	ship	
	between Efficiency, velocity ration	o and	
	Mechanical Advantage.		-6
17.		18	Projections:
		1	- Concept of axes plane and quadrant.
		6.4	- Orthographic projections
	L.		 Method of first angle and third angle
		- 4	projections (definition and difference)
	L.	777	- Symbol of 1 st angle and 3 rd angle projection as
18.			per IS specification. Drawing of Orthographic projection from
16.		- 40-	isometric/3D view of blocks
			isometric/3D view of blocks
19.	- 33 K		Orthographic Drawing of simple fastener (Rivet,
	~ \		Bolts, Nuts & Screw)
	2.1		
20.	" कोशज्य भ	LL	Drawing details of two simple mating blocks and
	पराराण न	1,2,2	assembled view.
			423



	Second Year			
S No.	Workshop Calculation and Science	Engineering Drawing		
1.	- Geometrical construction & theorem: division of line segment, parallel lines, similar angles, perpendicular lines, isosceles triangle and right angled triangle.	- Revision of first year topics.		
2.	- Area of cut-out regular surfaces: circle and segment and sector of circle.	- Machined components; concept of fillet & chamfer; surface finish symbols.		
3.	Area of irregular surfaces.Application related to shop problems.	- Screw thread, their standard forms as per BIS, external and internal thread, conventions on the features for drawing as per BIS.		
4.	- Volume of cut-out solids: hollow cylinders, frustum of cone, block section Volume of simple machine blocks.	- Free hand Sketches for bolts, nuts, screws and other screwed members.		
5.	- Material weight and cost problems related to trade.	- Free hand Sketching of foundation bolts and types of washers.		
6.	- Finding the value of unknown sides and angles of a triangle by Trigonometrical method.	- Standard rivet forms as per BIS (Six types).		
7.	- Finding height and distance by trigonometry.	- Riveted joints-Butt & Lap (Drawing one for each type).		
8.	- Application of trigonometry in shop problems. (viz. taper angle calculation).	- Orthogonal views of keys of different types		
9.	 Forces definition. Compressive, tensile, shear forces and simple problems. Stress, strain, ultimate strength, factor of safety. Basic study of stress-strain curve for MS. 	- Free hand Sketches for simple pipe, unions with simple pipe line drawings.		
10.	- Temperature measuring instruments. Specific heats of solids & liquids.	- Concept of preparation of assembly drawing and detailing. Preparation of simple assemblies & their details of trade related tools/job/exercises with the dimensions from the given sample or models.		
11.	- Thermal Conductivity, Heat loss and heat gain.	-Free hand sketch of trade related components / parts (viz., single tool post for the lathe, etc.)		



12.	- Average Velocity, Acceleration & Retardation Related problems.	- Study of assembled views of Vee-blocks with clamps.
13.	- Circular Motion: Relation between circular motion and Linear motion, Centrifugal force, Centripetal force	- Study of assembled views of shaft and pulley.
14.		- Study of assembled views of bush bearing.
15.		- Study of assembled views of a simple coupling.
16.		- Free hand Sketching of different gear wheels and nomenclature.
17.	Graph: - Read images, graphs, diagrams - bar chart, pie chart. - Graphs: abscissa and ordinates, graphs of straight line, related to two sets of varying quantities.	- Free hand Details and assembly of simple bench vice.
18.	Simple problem on Statistics: - Frequency distribution table - Calculation of Mean value Examples on mass scale productionsCumulative frequency -Arithmetic mean	- Reading of drawing. Simple exercises related to missing lines, dimensions. How to make queries.
19.	Acceptance of lot by sampling method (within specified limit size) with simple examples (not more than 20 samples).	- Simple exercises relating missing symbols.- Missing views
20.	 Friction- co-efficient of friction, application and effects of friction in Workshop practice. Centre of gravity and its practical application. 	- Simple exercises related to missing section.
21.	 - Magnetic substances- natural and artificial magnets. - Method of magnetization. Use of magnets. 	-Free hand sketching of different types of bearings and its conventional representation.
22.	Electrical insulating materials.Basic concept of earthing.	- Free hand sketching of different gear wheels and nomenclature/ Simple duct (for RAC). Free hand sketch of Reciprocating compressor – open type (for RAC)



23.	- Transmission of power by belt,	- Solution of NCVT test.
	pulleys & gear drive.	- Simple exercises related to trade related
	- Calculation of Transmission of power	symbols.
	by belt pulley and gear drive.	- Basic electrical and electronic symbols
24.	- Heat treatment and advantages.	- Study of drawing & Estimation of materials.
25.	Concept of pressure – units of	- Solution of NCVT test papers.
	pressure, atmospheric pressure,	
	absolute pressure, gauge pressure –	
	gauges used for measuring pressure	
26.	Introduction to pneumatics &	
	hydraulics systems.	





9.2 EMPLOYABILITY SKILLS

	CORE SKILL – EMPLOYABILITY SKILL					
	Duration – 110 hrs.					
1. English Literacy		Duration : 20 hrs. Marks : 09				
Pronunciation	Accentuation (mode of pronunciation) on simple words, Diction (use of word and speech)					
Functional Grammar	Transformation of sentences, Voice change Spellings.	e, Change of tense,				
Reading	Reading and understanding simple sentence environment	es about self, work and				
Writing	Construction of simple sentences Writing s	imple English				
Speaking/ Spoken English	Speaking with preparation on self, on family, on friends/ classmates, on known people, picture reading, gain confidence through role-playing and discussions on current happening, job description, asking about someone's job, habitual actions. Cardinal (fundamental) numbers, ordinal numbers.					
	Taking messages, passing on messages and filling in message forms, Greeting and introductions, office hospitality, Resumes or curriculum vita essential parts, letters of application reference to previous communication.					
2. IT Literacy		Duration: 20 hrs. Marks: 09				
Basics of Computer	Introduction, Computer and its appl peripherals, Switching on-Starting and computer.	ications, Hardware and shutting down of the				
Computer Operating System	Basics of Operating System, WINDOWS, The Windows OS, Create, Copy, Move and dele of External memory like pen drive, CD, DVD applications.	te Files and Folders, Use				
Word Processing and Worksheet	Basic operating of Word Processing, Creating Documents, Use of shortcuts, Creating and Formatting the Text, Insertion & Creation of document. Basics of Excel worksheet, under commands, creating simple worksheets, use of simple formulas and fur excel sheets.	Editing of Text, f Tables. Printing rstanding basic nderstanding sample				
Computer Networking and Internet	Basic of Computer Networks (using real life Local Area Network (LAN), Wide Area Netw Concept of Internet (Network of Networks) Meaning of World Wide Web (WWW), Wel	vork (WAN), Internet,				



	page and Search Engines. Accessing the Internet using Web Browser,					
	Downloading and Printing Web Pages, Opening an email account and					
	use of email. Social media sites and its implication	_				
	Information Security and antivirus tools, Do's					
	Information Security, Awareness of IT - ACT, t					
Duration : 15 hrs						
3. Communication Skills		Marks : 07				
Introduction to	Communication and its importance					
Communication Skills	Principles of effective communication					
	Types of communication - verbal, non-verbal,	, written, email, talking				
	on phone.					
	Non-verbal communication -characteristics, c	components-Para-				
	language					
	Body language					
	Barriers to communication and dealing with k	parriers.				
	Handling nervousness/ discomfort.					
Listening Skills	Listening-hearing and listening, effective liste	ning, barriers to				
	effective listening, guidelines for effective list	stening.				
	Triple- A Listening - Attitude, Attention & Adj	ustment.				
	Active listening skills.					
Motivational Training	Characteristics essential to achieving success.					
	The power of positive attitude.					
	Self awareness					
	Importance of commitment					
	Ethics and values					
	Ways to motivate oneself					
	Personal goal setting and employability plann	ning.				
Facing Interviews	Manners, etiquettes, dress code for an interv	iew				
	Do's &don'ts for an interview					
Behavioral Skills	Problem solving	TV-T				
	Confidence building	11.231				
	Attitude					
4. Entrepreneurship Skil	IS I	Duration: 15 hrs.				
		Marks: 06				
Concept of	Entrepreneur - Entrepreneurship - Enterprise	•				
Entrepreneurship	Entrepreneurship vs. management, Entrepr					
	Performance & record, Role & function of entr	•				
	the enterprise & relation to the economy, Source of business ideas,					
	Entrepreneurial opportunities, The process of					
Project Preparation &	Qualities of a good entrepreneur, SWOT and	•				
Marketing Analysis	&Application of PLC, Sales &Distribution man	-				
	between small scale &large scale business, Market survey, Method					
	of marketing, Publicity and advertisement, Marketing mix.					



Institution's Support	Preparation of project. Role of various so	chemes and institutes for		
	self-employment i.e. DIC, SIDA, SISI, NSIC, SIDO, Idea for financing/			
	non-financing support agencies to famili			
	/programmes, procedure & the available scheme.			
Investment	Project formation, Feasibility, Legal form	nalities i.e., Shop act,		
Procurement	Estimation &costing, Investment proced	ure - Loan procurement -		
	Banking processes.			
5. Productivity		Duration: 10 hrs. Marks: 05		
Benefits	Personal/ Workman - Incentive, Product	ion linked Bonus,		
	Improvement in living standard.			
Affecting Factors	Skills, Working aids, Automation, Enviro improves or slows down productivity.	nment, Motivation - How it		
Comparison with	Comparative productivity in developed of	countries (viz. Germany,		
Developed Countries	Japan and Australia) in select industries,	e.g. Manufacturing, Steel,		
	Mining, Construction etc. Living standard	ds of those countries, wages.		
Personal Finance	Banking processes, Handling ATM, KYC r	egistration, safe cash		
Management	handling, Personal risk and insurance.			
6. Occupational Safety, Health and Environment Education Duration: 15 Marks: 06				
Safety & Health	Introduction to occupational safety and	health		
	Importance of safety and health at work			
Occupational Hazards	Basic hazards, chemical hazards, vibroa	acoustic hazards, mechanical		
	hazards, electrical hazards, thermal hazards. Occupational health,			
	occupational hygiene, occupational diseases/ disorders & its			
	prevention.			
Accident &Safety	Basic principles for protective equipmen	t.		
	Accident prevention techniques - control of accidents and safety			
	measures.			
First Aid	Care of injured &sick at the workplaces,	First-aid &transportation of		
	sick person.			
Basic Provisions	Idea of basic provision legislation of Indi	a.		
	Safety, health, welfare under legislative	of India.		
Ecosystem	Introduction to environment. Relationsh	ip between society and		
	environment, ecosystem and factors cau	ısing imbalance.		
Pollution	Pollution and pollutants including liquid,	gaseous, solid and		
	hazardous waste.			
Energy Conservation	Conservation of energy, re-use and recy	cle.		
Global Warming	Global warming, climate change and ozo			
Ground Water	Hydrological cycle, ground and surface v			
	harvesting of water.			
Environment	Right attitude towards environment, Maintenance of in-house			
	environment.			



7. Labour Welfare Legislation			: 05 hrs. : 03
Welfare Acts Benefits guaranteed under various acts- Fact			
	Apprenticeship Act, Employees State Insuran	ce Act (ES	SI), Payment
	Wages Act, Employees Provident Fund Act, T	he Workn	nen's
	Compensation Act.		
9 Quality Tools		Duration	: 10 hrs.
8. Quality Tools		Marks	: 05
Quality Consciousness	Meaning of quality, Quality characteristic.		
Quality Circles	Definition, Advantage of small group activity,	, objective	es of quality
	circle, Roles and function of quality circles in	organizat	ion, Operation
	of quality circle. Approaches to starting quali	ty circles,	Steps for
	continuation quality circles.		
Quality Management	Idea of ISO 9000 and BIS systems and its importance in maintaining		
System	qualities.		
House Keeping	Purpose of housekeeping, Practice of good housekeeping.		
Quality Tools Basic quality tools with a few examples.			





LIST OF TOOLS AND EQUIPMENT							
	Turner Trade (CTS) (For batch of 20 candidates)						
S No.	Name of the Tool & Equipment Specification			Quantity			
	A. TRAINEES TOOL KIT (For each additional unit trainees tool kit Sl. 1-10 is required additionally)						
1	Caliper outside spring joint		150 mm	*20 Nos.			
2	Caliper inside spring joint		150 mm	*20 Nos.			
3	Caliper odd-leg firm joint		150 mm	*20 Nos.			
4	Steel Rule	1.5	150 mm, Graduated both in Metric and English Unit	*20 Nos.			
5	Scriber	-200	150 mm x 3 mm	*20 Nos.			
6	Hammer ball peen	-	250 gm with handle	*20 Nos.			
7	Centre punch		100 mm	*20 Nos.			
8	Prick punch		100 mm	*20 Nos.			
9	·		150 mm	*20 Nos.			
10 Safety goggles clear glass (Good quality)			*20 Nos.				
B. INST	TRUMENTS AND GENERAL SHO	POUTFIT					
11	Surface Plate - Granite	П	1000 x 1000 mm with Stand and Cover	1 no.			
12	Work bench		240 x 120x 90cm high	1 no.			
13	Marking table (CI)		120 x 120 cm	1 no			
14	Bench vice		125 mm jaw	6 nos.			
15	V-Block		150X100X100 mm with Clamp	1 pair			
	प्रश्रदास ५	117711	(Hardened & Ground)	each			
16	Universal Surface gauge		250 mm arm	2 nos.			
17	Hammer ball peen		750 gm with handle	6 nos.			
18	Chisel cold flat		20 x 150 mm	6 nos.			
19	Hammer copper/brass		500 gm with handle	12 nos.			
20	Hacksaw fixed		200 mm (Pistol grip)	6 nos.			
21	File flat		300 mm rough	6 nos.			
22	File flat		250 mm 2nd cut	6 nos.			
23	File flat		250 mm smooth	6 nos.			
24	File half round		250 mm 2nd cut	6 nos.			
25	File round		250 mm smooth	6 nos			
26 27	File half round Knurling tool revolving head		150 mm smooth (Rough, med, fine) diamond and	2 Sets 2 Sets			
			straight				



28	Combination set	300 mm (Complete Set)	6 Nos.
29	Screw Driver	10 X 200 mm	1 set
30	Spanner double ended	6 mm to 21 mm	2 Nos
31	Spanner adjustable	200 mm	
32	Pliers flat nose	150 mm side cutting	15 nos.
33	Caliper transfer inside	150 mm	3 nos.
34	Micrometer Outside	0 to 25 mm, Least Count 0.01 mm with NABL Accredated lab. Certificate	2 sets
35	Micrometer Outside	25 to 50 mm, Least Count 0.01 mm with NABL Accredated lab. Certificate	2 nos.
36	Micrometer Outside	50to 75 mm, Least Count 0.01 mm with NABL Accredated lab. Certificate	2 sets
37	Micrometer Inside	up to 25 mm, Least Count 0.01 mm with NABL Accredated lab. Certificate	2 nos.
38	Micrometer Inside	up to 25 to 50 mm, Least Count 0.01 mm with NABL Accredated lab. Certificate	2 nos.
39	Depth Gauge Micrometer	0 to 150 mm, Least Count 0.01 mm with NABL Accredated lab. Certificate	2 nos.
40	Vernier Caliper Outside, Inside and Depth	200 mm /8 inches with metric & inch scale (L.C. = 0.02mm) with NABL Accredated lab. Certificate	6 nos.
41	Dial Vernier Caliper with metric	200 mm, Least Count 0.05 mm with NABL Accredated lab. Certificate	6 nos.
42	Vernier Bevel Protractor	300 mm blade with NABL Accredated lab. Certificate	6 nos.
43	Vernier Micrometer	0 - 25 mm o/s LC 0.001mm with NABL Accredated lab. Certificate	2 nos.
44	Vernier Micrometer	25 - 50 mm, outside Least Count 0.001mm with NABL Accredated lab. Certificate	2 sets
45	Vernier Micrometer	0 inch to 1 inch.Outside Least Count 0.001 inch with NABL Accredated lab. Certificate	2 nos.
46	Gauge Feeler	Thickness - 0.05 mm to 0.3 mm by 0.05 and 0.4 mm to 1 mm by 0.1 mm - 13 leaves	1 each



47 Gauge - Radius Set 48 Centre Gauge 49 Screw Pitch Gauge 50 Drill Angle Gauge 51 Universal Dial Test Indicator - Plunger Type Type 52 Vernier Height Gauge 1 mm to 25 mm by 0.5 mm com. 60°, 55° and 29° Whitworth & Metric each (0.25 to 6mm) Range 0 - 10 mm, Graduation 0.01 mm complete with Clamping Devices and Magnetic Stand 0 - 300 mm, LC = 0.02 mm with NABL Accredated lab. Certificate	2 sets
49 Screw Pitch Gauge 50 Drill Angle Gauge 51 Universal Dial Test Indicator - Plunger Type Typ	
50 Drill Angle Gauge 51 Universal Dial Test Indicator - Plunger Type Range 0 - 10 mm, Graduation 0.01 mm complete with Clamping Devices and Magnetic Stand 52 Vernier Height Gauge 0 - 300 mm, LC = 0.02 mm with	2 sets
51 Universal Dial Test Indicator - Plunger Type Range 0 - 10 mm, Graduation 0.01 mm complete with Clamping Devices and Magnetic Stand 52 Vernier Height Gauge 0 - 300 mm, LC = 0.02 mm with	
51 Universal Dial Test Indicator - Plunger Type Range 0 - 10 mm, Graduation 0.01 mm complete with Clamping Devices and Magnetic Stand 52 Vernier Height Gauge 0 - 300 mm, LC = 0.02 mm with	2 sets
Devices and Magnetic Stand 52 Vernier Height Gauge 0 - 300 mm, LC = 0.02 mm with	2 sets
52 Vernier Height Gauge 0 - 300 mm, LC = 0.02 mm with	
NABL Accredated lab. Certificate	1 set
53 Try Square 150 blade	4 nos.
54 Magnifying Glass 75 mm with magnifying factor 10X	4 nos.
55 Plain Ring and Plug Gauge (12,16,20,25,30,32,36,40,45,50	1 set
mm)	each
56 Wheel Dresser Huntingon-type with	1 No.
star cutter	
57 Wheel Dresser Diamond (inserted-0.75 or 1 Carat)	2 Nos.
58 Screw Thread micrometer	1 No
interchangeable (0-25 mm)	
59 Morse Taper Plug & Ring Gauge No. 0 to 7 MT	1 set
60 Sine Bar with centers 200 mm	2 Nos.
61 Slip Gauge metric set (87 pieces in a Box) with	2 Nos.
workshop grade	
62 Morse Taper Sleeves No. 0-1, 1-2, 2-3, 3-4, 4-5.	1 set
63 Drill Drift	1 Set.
64 Twist Drill straight shank 3 to 12 mm by 1 mm	1 No.
65 Drill Twist Set Taper Shank - 14 mm to 20 mm by	1 set
1 mm or a mark	(Box)
66 Drill Chuck 12 mm cap with key	2 Sets.
67 Tap & Die B.A. No. 0 to 10 in a box	2 Nos.
68 Tap and Die Set Metric - 3 to 24 mm	2 Sets
69 Tap & Die B.S.F. up to 1 inch	2 Sets.
70 Tap & Die B.S.W. up to 1 inch	2 Sets.
71 Reamer machine straight flute 6 to 25 mm	1 Set.
72 Reamer Adjustable 10 to 20 mm	1 set.
73 Tool Holder RH & straight for mm	1 No.
square tool bit	
74 Parting Tool Holder with H.S.S. blade	12 Nos.
75 Tool Bits 12 X 150 mm sq. assorted shaped	15 Nos.
76 Boring Tool holder 6 mm sq. tool bit	15 Nos.
77 Steel Rule 300 mm with Metric and Inch	15 Nos.
78 Oil Can ½ pint (pressure feed system)	06 Nos.



79	Dog Carrier	25, 50 and 75 mm	12 Nos
80	Angle Plate	Adjustable - 150 X 175 X 250 mm	02 Nos.
81	Spirit Level	0.05 mm / 200 mm	2 Nos.
82	Tool Maker's button		1 set
83	Combination Drill / Centre Drill	A3, A4 & A5	1 set
84	Oil Stone	12 mm sq. x 100 long fine	12 nos.
85	Tap Wrench (adjustable)		09 Nos.
86	Die Handle		2 Nos.
87	Tool Bit assorted sizes on holder		10 Nos.
88	Machine Vice - Swivel Base	100 mm	01 No.
89	Chalk Board on mobile stand		1 No.
90	Spare Grinding Wheel Ajax type for		1 No.
	carbide tool		
91	Almirah	1980x 910 x 480 mm	2 No.
92	St. Locker with drawer (Pigeon holes)		1 No.
93	Desk		1 No.
94	Stool		4 Nos.
95	Angle Gauge for tool grinding	× .	6 Nos
96	Hand Chaser	M-12 & M-16 (External)	2 Nos.
97	Hand Chaser	M-12 & M-16 (Internal)	2 Nos.
98	Revolving Center (to suit Lathe	45555	6 Nos
	tailstock)		
99	Tool Cemented carbide assorted shaped	set of 12 nos.	1 No.
	(External) for steel turning		
100	Thread Plug Gauge	M-20 & M-21	1 set
101	Thread Ring Gauge	M-20 & M-21	1 No.
102	Machine Chaser	M-12 TO M-21 (Std. Series) to suit	1 set
	4/3.	on	
103	Coventry Die head	- 75.9 M 1117.4	2 Nos
104	Gauge Drill Grinding	45<161-1170	1 No
105	Magnetic Chuck	150 mm dia.(Circular type)	1 set.
106	Lathe Mandrels (Diff. Types)		1 No.
107	Coventry Type Die Head (Self opening)		1 No
108	Collapsible Tap with attachment		2 Nos
109	Fire Extinguisher and buckets		2 nos.
			each
110	Bore dial gauge stems	12 to 35 mm, 35 to 65 mm., dial	1 set
		gauge indicator of 0.01 accuracy.	each
	CHINERIES AND EQUIPMENTS		_
111.	Lathe S.S. & S.C. (All geared head stock)	150 mm center height, to admit	5 nos.



	with minimum specification as:	750 mm between centers. Machine to be motorized and supplied with coolant installation, 4-jaw Independent chuck 150 mm, 3-jaw self-centering chuck 150 mm, fixed steady, traveling steady, face plate, driving plate, 4-way tool post, quick change gear box for Metric or British threads, live and dead centers with taper attachments, Motor Capacity - 5.5 KW	
112.	Lathe S.S & S.C.(all geared type) with minimum specification as:	150 mm. Center height, 1000 mm between centers, gap bed machine to be motorized and supplied with coolant installation, 4-jaw independent chuck 250 mm, 3-jaw self-centering chuck 200 mm fixed steady, face plate, driving plate, 4-way tool post, quick change gear box for Metric/British threads, live and dead centers with taper attachments, Motor Capacity -5.5 KW	1 no.
113.	Lathe tool room S.S. & S.C. (all geared type) with minimum specification as:	150 mm center height, 1000 mm between centers. Machine to be motorized and supplied with coolant installation, 4-jaw independent chuck 250 mm, 3-jaw self-centering chuck 150 mm fixed steady, traveling steady, face plate, driving plate, 1-way tool post, draw in type collets set up to 25 mm, 0.5 mm, relieving attachments, Motor Capacity -5.5 KW	1 no.
114.	Grinding machine pedestal type	D.E. 200 mm dia. Wheel with wheel guard and vision, Motor Capacity -0.75 KW	1 no.
115.	Drill machine pillar type-motorized	up to 12 mm. Cap, Motor Capacity -0.75 KW	1 no.
116.	Power saw machine – hydraulic feed system	400 mm. Blade size, Motor Capacity -0.75 KW	1 no.



D: List of additional machines, tools & equipment for CNC turn Centre:										
117.	CNC lathe/CNC turn Centre	[specification as per Annex-A & A	As per							
		(1)]	Annex-A &							
			A (I)							
118.	a) Simulator	[specification as per Annex-A & A	As per							
		(1)]	Annex-A &							
	b) Desktop Computers		A (I)							
119.	Tool holders	[specification as per Annex-A & A	As per							
		(1)]	Annex-A &							
			A (I)							
120.	LCD projector / large screen TV		1 no.							
121.	Digimatic Electronic Vernier	inch and mm 8"/200 mm. LCM	2 nos.							
	Caliper	0.005"/0.001 mm								
122.	Digimatic electronic outside Micrometer	(0 to 25 mm & 25 to 50 mm) LC	1 no. each							
		0.001 mm.								

NOTE: -

- 1. No additional items are required to be provided to the batch working in the second and third shift except the items under trainee's tool kit.
- 2. Institute having centralized computer lab may use the existing infrastructure to impart simulation training & in that case not required to procure item no. 118b.
- 3. Preferably all tools must be hardened, toughened and grounded.
- 4. Quantity marked with * has been increased as per the batch size.
- 5. Internet facility is desired to be provided in the class room.





<u>Annexure – A</u>

CNC Lab											
	Space a	and Power	Requirement								
1	Space Required (in Sq. Meter):		40 (For below 8 (4+4) units) 65 (For above 8 (4+4) units)								
2	Power Required (in KW):		6 (For below 12.5 (For 4(•						
	CN	C Lab Infras	structure								
S.No.	Name of Item	Quan 4 (2+2) units & Above	tity Below 4 (2+2) units	Unit	Remark						
3	CNC turn Centre [specification as per Annex-A(I)]	Machine	1	NIL	Numb er	Refer Instruction s					
4	Multimedia based simulator for CNC technology and interactive CNC part programming software for turning & milling with virtual machine operation and simulation using popular operation control system such as Fanuc, Siemens, etc. (Webbased or licensed based) (12 trainees + 1faculty) With help of this software the trainees should be able to Write, Edit, Verify & Simulate	Software	क्रिक्स क्रिश्च क्रिश्च	*21	users						
5	Desktop Computers compatible to run simulation software with LAN facility	Machine	*21	*21	Numb er						
6	Printer - (Laser/ Inkjet)	Machine	1	1	Numb er	Optional					
7	Air Conditioner - Split - 2.0 Ton	Machine	1	1	Numb er	Optional					
8	UPS - 2 KVA	Machine	1	1	Numb er	Optional					



a)

b)

Instructions

For units less than 4(2+2), ITI can enter into MoU with Facilitator who will provide the Training to Trainees admitted and undergoing training in above Trades.

The Facilitator should be Government ITI, Engineering/ Polytechnic College, Recognized Training Institute, Industry, Private ITI (Facilitators are arranged in descending preference order). The Facilitator should have all the above training infrastructure. (Including CNC Machines and Multimedia software for CNC). If any of the facility is not available with facilitator then the same should be provided in the ITI. The facilities of CNC should be made available to ITI trainees at the time of examination. This clause should be part of MoU to be signed. The training provider must be within the range of 15 Km or within city whichever is less.

NOTE: - "It is on the discretion of the ITI that it may procure CNC simulation software with extra features in addition to the specification defined against CNC simulator".



Annexure –A (I)

	Detailed specification for 2 axis CNC Lathe / Turning centre									
1	MACHINE CAPACITY	Units	Size							
а	Swing over bed	mm	350 or higher							
b	Turning diameter	mm	135 or higher							
С	Distance between centres	mm	250 or higher							
d	Maximum Turning Length	mm	200 or higher							
e	Slant angle (bed or saddle)	degrees	30 to horizontal or higher							
f	Cast Iron grade for bed and saddle		Grade 25 or equivalent							
g	Machine weight nett	kg	1500 or higher							
2	SPINDLE									
а	Spindle nose	Kathor I	A2-4 / A2-5							
b	Bore through Spindle	mm	35 or higher							
С	Maximum spindle speed	RPM	4000 or higher							
d	Spindle power, continuous	kW	3.7 or higher							
е	Minimum spindle speed @ full power	RPM	1200 or lower							
f	Ty^e o ^u drive		AC servo spindle motor (digital)							
g	Chuck size	mm	135 or higher							
h	Chuck type		3-jaw hydraulic, Hydraulic Power							
			operated							
i	Spindle bearing class		P4 class							
j	Front Bearing Dia. (ID)	mm	60 or higher							
3	AXES									
а	X - axis Travel	mm	100 or higher							
b	Z - axis Travel	mm	200 or higher							
С	Programmable feed rate- X & Z	mm/min	10 - 10000							
d	Minimum programmable command - X & Z	mm 47 5 1	0.001							
e	Rapid traverse - X & Z	m/min	20 or higher							
f	Type of drive - X & Z		AC servo motor							
g	Motor torque - Z axis	Nm	3 or higher							
h	Motor torque - X axis	Nm	3 or higher with brake							
i	Ball screw - Z & X axes (diameter x	mm	25 x 10 or higher							
	pitch)									
j	Ball screw finish - Z & X axes		Hardened and Ground							
k	Ball screw class- Z & X axes		Pre-loaded with C3 or better							
I	Guideway type - Z & X axes		Antifriction linear motion guideway							
m	Guideway size - Z & X axes	mm	25 or higher							
n	Guideway precision - Z & X axes		P class							
4	TURRET									



а	Bi-Directional Tool Turret		Electromechanical/Servo/Hydraulic				
b	No. of Tools	Nos.	8 or higher				
С	Tool shank size	mm	20 x 20 or higher				
d	Maximum boring bar diameter	mm	25 or higher				
5	TAIL STOCK						
а	Quill Diameter	mm	65 or higher				
b	Quill Stroke	mm	70 or higher				
С	Quill Taper	1	MT-4 or higher				
d	Quill actuation		Hydraulic				
е	Tail stock base travel manual	mm	150 or higher				
f	Thrust (Adjustable)	Kgf	300 or higher				
6	COOLANT/LUBRICATION/HYDRAULI	IC					
а	Coolant tank Capacity	Litres	100 or higher				
b	Coolant pump motor	kW	0.37				
С	Coolant pump out put	LPM	20 or higher				
d	Lubrication type	(C)	Automatic centralized lubrication				
е	Lubrication tank capacity	Litres	3 or higher				
f	Hydraulic pump discharge	LPM	8 or higher				
g	Hydraulic tank capacity	Litres	30 or higher				
h	Hydraulic system pressure maximum	Bar	30 or higher				
7	ACCURACY as per ISO 230-2						
a	Positioning accuracy X & Z axes	mm	0.012				
b	Repeatability X & Z axes	mm	± 0.007				
С	Geometrical Alignment		ISO 13041-Part 1				
d	Accuracy of finish test piece		ISO 13041-Part 6				
8	CNC SYSTEM						
а	Control System	FANUC /Siemens	01101				
b	System resolution	0.001 mm					
С	Motors & Drives		CNC controllers mentioned above				
d	Tool number display	On machine opera					
е	Machine control panel	- · ·	speed override knob				
f	MPG (Manual pulse generator)	On machine opera	•				
g	CNC features	·	n, Programming help, Tool Offsets,				
		MDI,					
		nental Positioning, Pitch error					
9	POWER SOURCE	1					
а	Mains supply (± 10 %)	415 V, 3 Ph.,					
	<u> </u>	50Hz					
b	Total connected load requirement	Approx. 15 kVA					
10	STANDARD EQUIPMENT	1					
a	Voltage Stabilizer	15 kVA					
b	Air conditioning unit for electrical	1 No					



Backup CD for PLC Ladder Logic 1 No Machine lighting 1 No Evelling pads and jacking screws 4 No FO Operation manual 1 No Bound Machine lighting and some part of the provided Machine lighting pads and jacking screws 4 No FO Operation manual 1 No Bound Maintenance manual 1 No Bound Maintenance tool kit 1 No Bound Maintenance tool kit 1 No Bound Maintenance tool kit 1 No Bound Machine guarding with safety compliance 1 No Complian		cabinet										
d Machine lighting 1 No levelling pads and jacking screws 4 No poeration manual 1 No Maintenance manual 1 No maintenance tool kit 1 No installation kit 1 No poeration manual 1 No maintenance tool kit 1 No poeration manual 1 No maintenance tool kit 1 No poeration manual 1 No poeration manual 1 No maintenance tool kit 1 No poeration manual 1 No poeration poeration manual 1 No poeration manual 1		Backup CD for PLC Ladder Logic	1 No									
e Levelling pads and jacking screws f No f Operation manual 1 No Maintenance manual 1 No h Installation kit 1 No i Maintenance tool kit 1 No j 6 rack trolley (Size 25"x22"x45")with lock k Machine guarding with safety compliance 11 No Makes OF CRITICAL MACHINE TOOL COMPONENTS Linear Motion Guideways HIWIN/THK/PMI/STAR b Ball Screws HIWIN/THK/TSUBAKI/PMI/STAR/HMT/NSK c Spindle Bearings RHP/NSK/FAG/SKF/NRB d Turret PRAGATI/BARUFFALDI/SAUTER/DUPLOMATIC Hydraulic Chuck & Cylinder GMT/KITAGAWA/AIRTECH/PRAGATI/ROHM f Hydraulic Power Pack YUKEN/FLUID/REXROTH g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 WNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - External, LH 2 4 0.5 to 2 10 30 6. Grooving Holder Internal, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm	d		1 No									
f Operation manual 1 No			4 No									
Maintenance manual 1 No	f		_									
h Installation kit 1 No i Maintenance tool kit 1 No i Grack trolley (Size 25"x22"x45") with lock k Machine guarding with safety compliance 1 No compliance 1 No compliance 1 No compliance 1 MAKES OF CRITICAL MACHINE TOOL COMPONENTS	g	<u> </u>	_									
Maintenance tool kit 1 No												
j 6 rack trolley (Size 25"x22"x45")with lock k Machine guarding with safety compliance 11 MAKES OF CRITICAL MACHINE TOOL COMPONENTS a Linear Motion Guideways HIWIN/THK/PMI/STAR b Ball Screws HIWIN/THK/TSUBAKI/PMI/STAR/HMT/NSK c Spindle BearingS RHP/NSK/FAG/SKF/NRB d Turret PRAGATI/BARUFFALDI/SAUTER/DUPLOMATIC e Hydraulic Chuck & Cylinder GMT/KITAGAWA/AIRTECH/PRAGATI/ROHM f Hydraulic Power Pack YUKEN/FLUID/REXROTH g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity	i											
lock Machine guarding with safety compliance 1 No compliance 1 MAKES OF CRITICAL MACHINE TOOL COMPONENTS 1 Linear Motion Guideways HIWIN/THK/PMI/STAR	i		_									
compliance 11 MAKES OF CRITICAL MACHINE TOOL COMPONENTS a Linear Motion Guideways HIWIN/THK/PMI/STAR b Ball Screws HIWIN/THK/TSUBAKI/PMI/STAR/HMT/NSK C Spindle Bearings RHP/NSK/FAG/SKF/NRB d Turret PRAGATI/BARUFFALDI/SAUTER/DUPLOMATIC e Hydraulic Chuck & Cylinder GMT/KITAGAWA/AIRTECH/PRAGATI/ROHM f Hydraulic Power Pack YUKEN/FLUID/REXROTH g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity 1 year 3 years 1 External turning holder, insert type, MWLNL 2 4 WNMG 20 40 22 External turning holder, insert type, MVJNL 2 4 WNMG 10 20 3. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - External, LH 2 4 3 mm 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder for insert width 2 mm, LH 2 4 2 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm												
a Linear Motion Guideways HIWIN/THK/PMI/STAR b Ball Screws HIWIN/THK/PMI/STAR/HMT/NSK c Spindle Bearings RHP/NSK/FAG/SKF/NRB d Turret PRAGATI/BARUFFALDI/SAUTER/DUPLOMATIC e Hydraulic Chuck & Cylinder GMT/KITAGAWA/AIRTECH/PRAGATI/ROHM f Hydraulic Power Pack YUKEN/FLUID/REXROTH g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity 1 year 3 years 1 year 3 years 1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 3 mm 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder External, LH 2 4 2 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm	k	Machine guarding with safety	1 No									
a Linear Motion Guideways HIWIN/THK/PMI/STAR b Ball Screws HIWIN/THK/TSUBAKI/PMI/STAR/HMT/NSK c Spindle Bearings RHP/NSK/FAG/SKF/NRB d Turret PRAGATI/BARUFFALDI/SAUTER/DUPLOMATIC e Hydraulic Chuck & Cylinder GMT/KITAGAWA/AIRTECH/PRAGATI/ROHM f Hydraulic Power Pack YUKEN/FLUID/REXROTH g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity 1 year 3 years 1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 2 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60		compliance										
b Ball Screws HIWIN/THK/TSUBAKI/PMI/STAR/HMT/NSK c Spindle Bearings RHP/NSK/FAG/SKF/NRB d Turret PRAGATI/BARUFFALDI/SAUTER/DUPLOMATIC e Hydraulic Chuck & Cylinder GMT/KITAGAWA/AIRTECH/PRAGATI/ROHM f Hydraulic Power Pack YUKEN/FLUID/REXROTH g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity 1 year 3 years 1 year 3 years 1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MWJNL 2 4 WNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder - External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 2 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 4 CCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60	11	MAKES OF CRITICAL MACHINE TOO	СОМРО	NENTS	1							
C Spindle Bearings RHP/NSK/FAG/SKF/NRB d Turret PRAGATI/BARUFFALDI/SAUTER/DUPLOMATIC e Hydraulic Chuck & Cylinder GMT/KITAGAWA/AIRTECH/PRAGATI/ROHM f Hydraulic Power Pack YUKEN/FLUID/REXROTH g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity 1 year 3 years 1 year 3 years 1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 3 mm 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 2 2 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60	a	Linear Motion Guideways	HIWIN/	THK/PMI	/STAR							
d Turret PRAGATI/BARUFFALDI/SAUTER/DUPLOMATIC e Hydraulic Chuck & Cylinder GMT/KITAGAWA/AIRTECH/PRAGATI/ROHM f Hydraulic Power Pack YUKEN/FLUID/REXROTH g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity I year 3 years 1 year 3 years 1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 3 mm 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder for insert width 2 mm, LH 2 4 2 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60	b	Ball Screws	HIWIN/	THK/TSU	BAKI/PMI/	STAR/HM	T/NSK					
e Hydraulic Chuck & Cylinder f Hydraulic Power Pack YUKEN/FLUID/REXROTH g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity 1 year 3 years 1 year 3 years 1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 3 mm 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder for insert width 2 mm, LH 2 4 2 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 4 CCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60	С	Spindle Bearings	RHP/NS	K/FAG/S	KF/NRB							
f Hydraulic Power Pack g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 1 External turning holder, insert type, MWLNL 1 External turning holder, insert type, MWLNL 2 A WNMG 2 A0 2 External turning holder, insert type, MVJNL 2 A VNMG 3 External turning holder, insert type, PDJNR 2 A DNMG 5 Threading Holder - External, LH 2 A 0.5 to 2 10 30 5 Threading Holder - Internal, LH 2 A 3 mm 5 Grooving Holder External, LH 2 A 3 mm 10 30 6 Grooving Holder Internal, LH 2 A 3 mm 10 30 7 Grooving Holder for insert width 2 mm, LH 2 A 2 mm 10 30 9 Boring holder SCLCL for minimum bore dia. 12 2 A CCMT 20 60 mm 10 Boring holder SCLCL for minimum bore dia. 16 2 A CCMT 20 60	d	Turret	PRAGAT	ΓI/BARUF	FALDI/SAL	JTER/DUPI	LOMATIC	1				
g Panel AC WERNER FINLEY/RITTAL/LEXTECNOID h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity 1 year 3 years 1 year 3 years 1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60	e	Hydraulic Chuck & Cylinder	GMT/KI	TAGAWA	A/AIRTECH,							
h Stabilizer NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT Lubrication CENLUBE/DROPCO/EQUIVALENT Coolant Pump RAJAMANE/GRUNDFOS Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB SHI	f	Hydraulic Power Pack	YUKEN/	FLUID/RI	EXROTH							
i Lubrication CENLUBE/DROPCO/EQUIVALENT j Coolant Pump RAJAMANE/GRUNDFOS k Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI 12 Cutting tools & tool holders Quantity Inserts Quantity 1 year 3 years 1 year 3 years 1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60	g	Panel AC	WERNE	R FINLEY	/RITTAL/LE	RITTAL/LEXTECNOID						
Coolant Pump RAJAMANE/GRUNDFOS	h	Stabilizer	NEEL/SE	RVOMA	X/CONSUL	·						
Cutting tools and holders SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUB ISHI	i	Lubrication	CENLUB	E/DROP	CO/EQUIV	·						
SHI 12 Cutting tools & tool holders Quantity Inserts Quantity 1 year 3 years 1 year 3 ye	j	Coolant Pump	RAJAMA	ANE/GRU	INDFOS							
Letting tools & tool holdersQuantityInsertsQuantity1 year3 years1 year3 years1. External turning holder, insert type, MWLNL24WNMG20402. External turning holder, insert type, MVJNL24VNMG10203. External turning holder, insert type, PDJNR24DNMG10204. Threading Holder - External, LH240.5 to 210305. Threading Holder - Internal, LH240.5 to 210306. Grooving Holder External, LH243 mm10307. Grooving Holder Internal, LH243 mm10308. Parting off Holder for insert width 2 mm, LH242 mm10309. Boring holder SCLCL for minimum bore dia. 1224WCMT2060mm10. Boring holder SCLCL for minimum bore dia. 1624CCMT2060	k	Cutting tools and holders	SANDVI	K/TAEGL	JTEC/KENN	EC/KENNAMETAL/SECO/ISCAR/MITSUB						
1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 mm 10. Boring holder SCLCL for minimum bore dia. 16 mm			ISHI									
1. External turning holder, insert type, MWLNL 2 4 WNMG 20 40 2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm	12	Cutting tools & tool holders			•	Inserts		•				
2. External turning holder, insert type, MVJNL 2 4 VNMG 10 20 3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60				1 year	3 years		1 year	3 years				
3. External turning holder, insert type, PDJNR 2 4 DNMG 10 20 4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60	1. Ex	cternal turning holder, insert type, MW	/LNL	2	4	WNMG	20	40				
4. Threading Holder - External, LH 2 4 0.5 to 2 10 30 5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm	2. Ex	cternal turning holder, insert type, MV	JNL	2	4	VNMG	10	20				
5. Threading Holder - Internal, LH 2 4 0.5 to 2 10 30 6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm	3. Ex	ternal turning holder, insert type, PDJ	NR	2	4	DNMG	10	20				
6. Grooving Holder External, LH 2 4 3 mm 10 30 7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60	4. Th	nreading Holder - External, LH	4	2	4	0.5 to 2	10	30				
7. Grooving Holder Internal, LH 2 4 3 mm 10 30 8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 mm	5. Tł	nreading Holder - Internal, LH		2	4	0.5 to 2	10	30				
8. Parting off Holder for insert width 2 mm, LH 2 4 2 mm 10 30 9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm	6. G	rooving Holder External, LH		2	4	3 mm	10	30				
9. Boring holder SCLCL for minimum bore dia. 12 2 4 WCMT 20 60 mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm	7. G	rooving Holder Internal, LH		2	4	3 mm	10	30				
mm 10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm	8. Pa	arting off Holder for insert width 2 mm	, LH	2 4 2 mm 10				30				
10. Boring holder SCLCL for minimum bore dia. 16 2 4 CCMT 20 60 mm	9. Bo	oring holder SCLCL for minimum bore	dia. 12	2	4	WCMT	20	60				
mm	_											
	10. B	oring holder SCLCL for minimum bore	dia. 16	2	4	CCMT	20	60				
11. Internal grooving holder LH, for minimum bore 2 4 2 mm 10 30	mm											
	11. In	ternal grooving holder LH, for minimu	m bore	2	4	2 mm	10	30				
dia. 12 mm.												
12. Internal threading holder LH, for minimum bore 2 4 w mm 10 30	12. In	ternal threading holder LH, for minim	um bore	2	4	w mm	10	30				
dia. 12 mm	dia. 1	2 mm										



13. Insert drill 12.7 mm	2	4	Suitable	10 sets	30 sets
			е		
14. Reducing sleeves for internal holders - Dia 12	1 set	2 sets			
and 16 mm					
15. Centre drill HSS A 2.5 x 6.3	2	6			
16. Twist drill HSS straight shank, dia 6,8,10,12 mm	2 Sets	6 sets			
17. Collets suitable for the above drills	1 Set	2 sets			
18. Collet Holder	2	4			
19. Boring bar holder	3	3			





	TOOLS & EQUIPMENT FOR EMPLOYABILITY SKILLS								
S No.	S No. Name of the Equipment								
1.	Computer (PC) with latest configurations and Internet connection with standard operating system and standard word processor and worksheet software	10 Nos.							
2.	UPS - 500VA	10 Nos.							
3.	Scanner cum Printer	1 No.							
4.	Computer Tables	10 Nos.							
5.	Computer Chairs	20 Nos.							
6.	LCD Projector	1 No.							
7.	White Board 1200mm x 900mm	1 No.							

Note: - Above Tools & Equipments not required, if Computer LAB is available in the institute.





FORMAT FOR INTERNAL ASSESSMENT

Nar	Name & Address of the Assessor:					<i>A</i> .		Ye	ear of Enrol	llment:					
Nar	Name & Address of ITI (Govt./Pvt.):				100			Date of Assessment:							
Nar	me & Address of the Indu	ıstry:		7	- N. K.			As	ssessment	location	: Indus	stry / ITI			
Trade Name: Examination				ation:				Du	uration of t	he Trad	e/cou	rse:			
Lea	Learning Outcome:														
	Maximum Marks (Total	100 Marks)	15	5	10	5	10)	10	5	10	15	15		
S No.	Candidate Name	Father's/Moth er's Name	Safety Consciousness	Workplace Hygiene & Economical use of materials	Attendance/ Punctuality	Ability to follow Manuals/ Written instructions	Application of	Knowledge	Skills to Handle Tools/ Equipment/ Instruments/ Devices	Economical use of Materials	Working Strategy	Quality in Workmanship/ Performance	VIVA	Total Internal Assessment Marks	Result (Y/N)
1															
2															